

03-29-00

A

PATENT APPLICATION TRANSMITTAL LETTER

TO THE ASSISTANT COMMISSIONER OF PATENTS:

Transmitted herewith for filing is the patent application identified as follows:

Inventors: Terence BOYLE, Alan SCHNEIDER, Nolan GESHER, Jon CASSELL

Title: System and Method for Centralized Automated Reconciliation of Custody Accounts

Enclosed are:

82 Sheets of Specification, including 5 sheets of claims and an Abstract
 Eighty-Six (86) Sheets of Drawings (Figures 1-83)
 Declaration and Power of Attorney for Patent Application (Unexecuted)
 Transmittal of Application Under 37 CFR 1.41(c)

The filing fee has been calculated as follows:

CLAIMS AS FILED				
	Number Filed/Paid For	Number Extra	Rate	Fee
BASIC FEE	-----		\$690	\$690
TOTAL CLAIMS	51-20	31	\$18	\$558
INDEPENDENT CLAIMS	2-3	0	\$78	\$ 0
MULTIPLE DEPENDENT CLAIM PRESENT - NO			\$260	\$ 0
FEE TOTAL				\$1,248.00

Enclosed is a check in the amount of \$1,248.00 to cover the filing fees. The Commissioner is hereby authorized to charge any additional fees required by this action, or credit any overpayment to Deposit Account No. 11-0855. A duplicate of this sheet is attached for that purpose.

Please address all correspondence and telephone calls in connection with this application to:

George T. Marcou, Esq.
 Kilpatrick Stockton LLP
 700 13th Street, NW, Suite 800
 Washington, DC 20005
 (202) 508-5800 (Phone)
 (202) 508-5858 (Facsimile)

Dated: 3/28/00

John M. Harrington
 John M. Harrington, Reg. No. 25,592 for
 George T. Marcou, Reg. No. 33,014

Kilpatrick Stockton LLP
 700 13th Street, NW, Suite 800
 Washington, DC 20005

EXPRESS MAIL CERTIFICATE

"Express Mail" mailing label number: EL 147 567 406 US

Date of Deposit: March 28, 2000

Type of Document(s): Specification and Abstract;
Five (5) pages of claims;
Eighty-Six (86) pages of drawings;
Declaration and Power of Attorney
(Unsigned);
Transmittal of Application Under 37
CFR 1.41(c);
Patent Application Transmittal Letter;
Check in the amount of \$1,248.00;
and
Return postcard

Serial No.: Unassigned

Date Filed: Herewith

I hereby certify that the documents identified above are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and are addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.



Diana C. Holmes

147567406

IN THE UNITED STATES PATENT AND TRADEMARK OFFICEJCS25 U.S. PTO
09/535877
03/28/00

Applicants : Terence Boyle, Alan Schneider,
Nolan Gesher, Jon Cassell

Serial No. : Unassigned

Filing Date : Herewith

For : **SYSTEM AND METHOD FOR CENTRALIZED
AUTOMATED RECONCILIATION OF CUSTODY
ACCOUNTS**

Assistant Commissioner for Patents
Box: PATENT APPLICATION
Washington, D.C. 20231

TRANSMITTAL OF APPLICATION UNDER 37 CFR 1.41(c)

Sir:

The undersigned attorney hereby makes application for U.S. Letters Patent on behalf of Applicants Terence Boyle, Alan Schneider, Nolan Gesher, Jon Cassell, whose addresses and citizenship are as follows:


Inventor	Address	Citizenship
Terence Boyle	21 Sir Paul Ct. Middletown, NJ 07743	U.S.A.
Alan Schneider	111 Maplewood Avenue Maplewood, NJ 07040	U.S.A.
Nolan Gesher	30 Stony Hill Drive Morganville, NJ 07751	U.S.A.
Jon Cassels	63 Queen Victoria Street London, EC4N-4UD, U.K.	

Applicants claim the benefit, under 35 USC § 119, of U.S. Provisional Application Serial Number 60/126,764 filed March 29, 1999.

Please address all correspondence and telephone calls in connection with this application to:

George T. Marcou, Esq.
Kilpatrick Stockton LLP
700 13th Street, NW, Suite 800
Washington, D.C. 20005
(202) 508-5800 (phone)
(202) 508-5858 (facsimile)

Respectfully submitted,


John M. Harrington, Reg. No. 25, 592
for George T. Marcou, Reg. No. 33,014

Date: 3/28/00
KILPATRICK STOCKTON LLP
Kilpatrick Stockton LLP
Washington, D.C. 20005
C0464-184988
WINLIB01.812261.01

**SYSTEM AND METHOD FOR CENTRALIZED AUTOMATED
RECONCILIATION OF CUSTODY ACCOUNTS**

5 Cross Reference to Related Applications

This application claims priority to applicant's co-pending application having U.S. Serial No. 60/126,764 filed March 29, 1999.

Field of the Invention

10 The present invention relates to automated reconciliation of investment manager and related custody accounts, and in particular to a system and method for centralized automated reconciliation of those accounts.

Background of the Invention

15 In today's investment environment, investment managers or fund managers who represent, for example, institutional investors have to demonstrate to those institutional investors that their records agree with the records maintained by the custodians of the institutions' investment assets, such as the institutional investors' banks. For example, a fund manager acting on behalf of an investor or client buys
20 and sells securities, and those same securities are safe-kept with custodians, such as banks. The fund manager and the custodian each maintains its own books and records, and the securities and cash balances and transactions among those different books and records must be regularly and periodically reconciled.

Typically, the process of reconciling the different books and records is an
25 entirely manual procedure which is performed by the fund manager. The fund manager receives paper statements from the custodian, and the fund manager generally deals with many different custodians. The fund manager pulls a report from its own internal portfolio tracking system and typically performs an "eyeball" scan, such as one hundred shares of IBM on the fund manager's record and one
30 hundred shares of IBM on the custodian's record. The process continues in the same

Such a manual process is extremely tedious and time consuming. Fund managers typically dedicate from two persons up to as many as forty-five persons to this manual process, depending upon how many clients a particular fund manager has. The manual process is error prone and provides no value whatsoever to the business of the fund managers. Most fund managers express a preference to outsource the reconciliation process, if a reliable outsource facility existed.

10 Summary of the Invention

It is a feature and advantage of the present invention to provide a system and method for centralized automated reconciliation of client investment accounts which utilizes sophisticated matching software that facilitates the reconciliation of securities and cash positions, transactions and settlements.

15 It is a further feature and advantage of the present invention to provide a centralized automated reconciliation system and method that provides on-line windows to the results with sort and select capabilities and full investigative facilities to streamline operational work flow and speed up the process to more timely client reporting.

20 It is another feature and advantage of the present invention to provide a centralized automated reconciliation system and method which enables reconciliation and management of investigations with limited initial investment, low recurring costs and minimum operational involvement.

It is still another feature and advantage of the present invention to provide a
25 centralized automated reconciliation system and method which is fully outsourced to
a trusted and experienced service provider which assures integrity and accuracy.

It is a still further feature and advantage of the present invention to provide a centralized automated reconciliation system and method which is seamless and continuous.

It is an additional feature and advantage of the present invention to provide a centralized automated reconciliation system and method with a single point of access for all custody data and accounting and investment activity information.

It is another feature and advantage of the present invention to provide a centralized automated reconciliation system and method that collects, reformats, enhances, and makes fit for electronic reconciliation all of the data from all of its sources.

To achieve the stated and other features, advantages, and objects of the present invention, an embodiment of the present invention makes use of computer hardware and software to provide a method and system for centralized automated reconciliation of accounts, such as fund manager accounts and related custody accounts. An embodiment of the present invention includes a graphical user interface and other system components that enables, for example, a first account record to be received in a service bureau environment from a fund manager and a second account record to be received in the service bureau environment from a custodian. The account records that are received in the service bureau environment include, for example, positions or holdings, such as securities positions or holdings and cash positions or holdings, and transactions, such as securities transactions and cash transactions.

In an embodiment of the present invention, fund manager account records are received, for example, electronically from an internal portfolio tracking system of the fund manager. Custodian account records are received, for example, electronically via an interface to a custody network of the custodian over a network, such as a proprietary financial network. The account records are received electronically in the service bureau environment in varying message and file formats and the system software for an embodiment of the present invention parses, validates and reformats the records to a standard format for uploading to the service bureau database, for example, according to a predefined schedule.

In an embodiment of the present invention, the uploaded account records are automatically compared according to predefined matching rules to identify whether

the first account record, for example, from the fund manager, matches the second account record, for example, from the custodian. The system allows either or both of the fund manager and the custodian to predefine the matching rules in any number of ways. For example, the available match groups for the fund manager and the
5 custodian can be predefined. Likewise, the matching rules for one or both of the account records for positions or transactions can be predefined, and the matching rule can be predefined either substantially similar for each or different from one another.

In an embodiment of the present invention, predefining the matching rules also includes, for example, predefining matching criteria in terms of tolerance in one
10 or both of percentage terms and nominal terms. Further, the matching rules can be predefined with respect to any number of items of account record data, such as account number, security identification, units, unit cost, total cost, unit price, and total market value. In addition, the matching rules can be predefined in terms of levels of match success.

15 The system for an embodiment of the present invention displays one or more reports of the results of the comparison process for viewing by a user and allows the user to download the report in a file. If the account records are identified in the comparison process as unmatched, the system displays a report of the results of the process for the user, for example, with the unmatched first and second account
20 records displayed simultaneously on a consolidated screen. The system allows the user, for example, to manipulate the results, to view a historical report, and to enter data to manually match, date and user ID stamp for auditing the unmatched account records. The system stores a record of the manual match including, for example, a reason for the manual match, date and user Id stamp for auditing, which can be
25 retrieved and viewed from time to time as needed.

The system for an embodiment of the present invention automatically creates mappings of security identifiers across the world's various schemes for identifying securities. The system also makes such capabilities and services available through the worldwide web.

These and other objects, advantages and novel features of the invention will be set forth in part in the description which follows, and in part will become more apparent to those skilled in the art upon examination of the following or may be learned by practice of the invention.

5

Brief Description of the Drawings

Fig. 1 is a schematic diagram which illustrates an overview of an example of key entities and the flow of information between the key entities for the process of reconciliation of custody accounts;

10 Fig. 2 is a schematic diagram which shows an overview of an example of key components and the flow of information between the key components in the service bureau approach to the reconciliation process for an embodiment of the present invention;

15 Fig. 3 is a schematic diagram which illustrates an overview of an example of key components and the flow of information between the key components for an embodiment of the present invention;

Fig. 4 is a schematic flow chart which illustrates an example of the process of position reconciliation for an embodiment of the present invention;

20 Figs. 5-7 are sample *Login* screens for the system for an embodiment of the present invention;

Fig. 8 is a sample *Main Menu* screen of the system for an embodiment of the present invention;

Fig. 9 is a sample *Change Password* screen for an embodiment of the present invention;

25 Figs. 10-12 are sample *User Group* screens for an embodiment of the present invention;

Figs. 13 and 14 are sample *User* screens for an embodiment of the present invention;

30 Figs. 15 and 16 are sample *System Parameters* screens for an embodiment of the present invention;

5

10

15

20

25

30

Figs. 60 and 61 are sample *Audit Log Query* screens for an embodiment of the present invention;

Figs. 62 and 63 are sample *Account Report* screens for an embodiment of the present invention;

5 Figs. 64-67 are sample *Activity Log* screens for an embodiment of the present invention;

Figs. 68 and 69 are sample *Error Log* screens for an embodiment of the present invention;

10 Figs. 70 and 71 are sample *Percentage Matched* screens for an embodiment of the present invention;

Figs. 72 and 73 are sample *Matched Holdings* screens for an embodiment of the present invention;

Figs. 74 and 75 are sample *Matched Transactions* screens for an embodiment of the present invention;

15 Figs. 76 and 77 are sample *Unmatched Holdings* screens for an embodiment of the present invention; and

Figs. 78 and 79 are sample *Unmatched Transactions* screens for an embodiment of the present invention.

20 Fig. 79a is a sample *Form Level Actions-User Group Mapping* screen which details the ability of the embodying system to further detail access to the functions of an embodiment of the present invention at the *Action* level.

Fig. 80 is a sample *Profile Setup* screen for an embodiment of the present invention.

25 Figs. 80a, 80b and 81 are sample *Aging Report* screens which represent the systems manifestation of the *Aging Report* for an embodiment of the present invention.

Figs. 82 and 83 are sample *Custodian Cash Report* screens for an embodiment of the present invention.

30 **Detailed Description**

Referring now in detail to an embodiment of the present invention, an example of which is illustrated in the accompanying drawings, Fig. 1 illustrates an overview of an example of key entities and the flow of information between the key entities for the process of reconciliation of custody accounts. The trading, settlement, clearance, and safe-keeping of securities involves several individuals and organizations. These individuals and organizations include, for example, fund managers (or investment management firms) 2, custodians 4, brokers 6, and depositories. Fund managers 2 make investments in securities on behalf of their customers 8. These trades 10 are normally made through the services of brokers 6, who act as agents for the fund managers 2. Brokers 6, in turn, settle 12 the trade 10 with custodians 4, who hold the physical/electronic securities.

The presence of several organizations in the investment process, with each maintaining its own books and records, gives rise to the need for regular or periodic reconciliation 14 of securities and cash balances and transactions among these different books and records. Consider, for example, the fund manager 2 and the custodians 4. A fund manager may deal with one or more custodians, depending on the choices made by the customers 8 whose funds they manage. Similarly, a custodian 4 may undertake safe-keeping responsibilities for a variety of customers 8, whose funds may be managed by different fund managers 2. Each organization in this network maintains its own records for the same set of customer accounts. The process of reconciling customer accounts is a fiduciary responsibility that follows from the management of such accounts.

Differences in the records maintained by the fund manager 2 and the custodian 4 may arise due to several reasons. A difference may arise due to the usage of different systems and procedures to recognize sales, purchases, and corporate actions. Differences can also arise due to differences in the timing of such recognition. The balances of the fund manager 2 and the custodian 4 for the account of the same customer 8 may be accurate according to their own books, but these “accurate” balances may be different from one another. Whatever the causes of these differences, it is clear that there exists a need for identifying the differences between

the two sets of records, and initiating steps to resolve them. This process is called reconciliation 14. The process of investment reconciliation applies to the records, such as securities positions, cash positions, securities transactions, and cash transactions.

The predominant method of reconciliation in the market today is manual verification of printouts of statements from the accounting system of the fund manager 2 against printouts of statements from the system of the custodian 4. This is normally done one to two weeks after the close of the month. Reconciliation 14 is generally viewed as a repetitive and cumbersome task. Completing a reconciliation properly provides no visible organizational benefit. However, improper reconciliation can cause financial loss to the organization, and negatively impact investment results. Investment accounting and reconciliation is a people intensive process. An investment management firm may deploy anywhere between two to thirty resources for this purpose, depending on the number of accounts and the size of the portfolio that it manages.

An initial task in the process of reconciliation of the records of the fund manager 2 with those of the custodian 4 is to make available the data of the one to the other. For example, once the custodian's data has been acquired by the fund manager 2, the fund manager's personnel compares it with information generated from its internal investment portfolio accounting systems, to identify the differences between the two. These differences are then taken up for rectification through a process of detailed investigation.

An embodiment of the present invention utilizes, for example, a service bureau approach. Fig. 2 is a schematic diagram which shows an overview of an example of key components and the flow of information between the key components in the service bureau approach to the reconciliation process for an embodiment of the present invention. Referring to Fig. 2, in the service bureau approach, a service bureau 16 affiliated with a financial institution, such as a bank, provides the service of getting the fund manager's data and the custodian's data into the system for an embodiment of the present invention and running a matching

program which identifies the records that do not match. Thus, in an embodiment of the present invention, this component of the reconciliation function is automated. Given the distribution and usage of the application for an embodiment of the present invention by multiple legal entities, and the potential data volumes, the system for an embodiment of the present invention provides a robust, "industry-strength" application.

In the manual reconciliation process, the fund manager's personnel spend more than half of their time before they can get to a point at which they have identified all the records that do not match, and at which the actual reconciliation work begins. Usage of the system for an embodiment of the present invention results in significant savings on this count. The service bureau 16 is in a unique position in which it can obtain most of the data required for providing the reconciliation service with relative ease. The fund manager 2 provides the data because of the perceived benefits from the system. A SWIFT custodian 4 is able to send the data on the SWIFT network, and the financial institution's membership of SWIFT enables the affiliated service bureau 16 to obtain this data.

Within the service bureau approach to the reconciliation process for an embodiment of the present invention, the service bureau 16, which can be a financial institution, such as a bank, interfaces 18 with the custody network of an investment manager 4. The service bureau 16 develops feeds with the custody network to receive custody data electronically that was formerly provided in the form of paper statements. The service bureau 16 works directly with the fund manager 2 to bring in the data electronically as it is represented on the particular internal portfolio tracking system of the fund manager 2.

The system and method for an embodiment of the present invention fully automates the entire reconciliation process. Based upon a sophisticated set of matching rules, which is decided by the fund manager 2, all of the data inputs are matched in the background in the service bureau environment on the hardware of the service bureau 16. On demand, the fund manager 2 accesses the service bureau 16 and is able to run reports, to determine whether and how all the securities positions

matched, and to see specifically the details for securities positions which did not match.

Fig. 3 illustrates an overview of an example of key components and the flow of information between the key components for an embodiment of the present invention. The architecture for the centralized automated reconciliation system application for an embodiment of the present invention is a three-tier client/server model, with a presentation layer 22, an application logic layer 24, and a database layer 26 forming the three tiers. This architecture offers significant advantages in terms of graphical user interface (GUI) isolation, database independence, and a potential for the application of object-oriented concepts for the development of the application layer logic.

The system for an embodiment of the present invention includes a GUI that works in conjunction with the system software, for example, to prompt a user to input data and to provide the user with various information and reports. Other components of the system bring all the necessary custody information into the system, for example, by reading a network that is typically run by financial institutions, such as a SWIFT network. These system components take electronic statements of the information from SWIFT networks, where available. Other system components bring custody information files into the system electronically and read the files into the system database of the present invention, for example, from financial institutions which do not have SWIFT networks. The system and method for an embodiment of the present invention is automated, and all of the feeds and all of the loading of data into the system is triggered automatically.

The system for an embodiment of the present invention utilizes a Sybase relational database and also includes various security tools. The system includes, for example, Sybase II on Windows NT AS or HP Unix 10.x 28, Sybase open client connect 30, data access servers on Windows NT 4.0 32, RPC communication mechanism using TCP/IP 34, functionality servers on Windows NT 4.0 36, Swift network 38, VisualBasic 4.0 GUI client on Windows NT 4.0 workstation 40, and RPC's using FFP or SLIP TCP/IP 42. The system makes use of computer hardware

and software components for the client, the data access server and the functionality server. The client hardware includes, for example, an Intel - 486 compatible processor with 16 MB of RAM, a SVGA color monitor, and 1 GB disk. The data access server hardware includes, for example, an IBM Pentium server processor with 5 64 MB of RAM and 4 GB disk. The functionality server hardware includes, for example, an IBM Pentium server processor with 64 MB of RAM and 4 GB disk. The client software includes, for example, MS Visual Basic 4.0 user interface, MS DOS 6.0 and above operating system, and Windows 3.1, 3.11, 95 or NT 4.0 operating environment. The data access server software includes, for example, Native Driver 10 driver manager, Sybase database, and Windows NT 4.0 operating system. Functionality server software includes, for example, Windows NT 4.0 operating system.

The system for an embodiment of the present invention provides the capabilities in a secure network environment utilizing user access controls and 15 authentication through secure firewalls and in the application, plus encrypted transmissions of data.

The centralized automated reconciliation system application for an embodiment of the present invention runs in a distributed computing environment. The application for an embodiment of the present invention calls the database by 20 making remote procedure calls (RPCs) to three successive servers. The object linking and embedding (OLE) server lies on the same machine as the application. The functionality server can be accessed by the OLE server by using a distributed application profile (DAP) file which specifies, among other things, the Internet Protocol (IP) address of the server machine. The functionality server calls the data 25 access (DA) server using another DAP file. The DA server in turn calls the database (DB) to retrieve the data. There are two servers at each level. The OLE servers are OLECARS and OLEMCARS. Similarly 'mcars' and 'cars' and 'mcarsDB' and 'carsDB' are the servers at the functionality level and data access level respectively. Since both the OLE servers use the same DAP file, the functionality servers lie on the

same machine. The OLE servers use the 'Client' DAP file. The 'cars' and 'mcars' DAP files are used by CARS and mCARS functionality servers respectively.

5 The system for an embodiment of the present invention is Windows based and includes the graphical user interface (GUI) and other system components for a user, such as the fund or investment manager 2, to make connections to the service bureau environment of the service bureau 16. The system components include tool functionalities, such as reporting tools, investigation tools, and tracking tools for the reconciliation process. A significant aspect of the system and method of the present invention is the system software which enables the service bureau 16 to bring in
10 varying messages or file formats, parse the data, validate the data and reformat the data in order to create a standard format. The system software enables the service bureau 16 to deal with many entities which maintain information and records in different formats in different types of databases. The system software allows the service bureau 16 to bring in the information and records in different formats, to
15 reformat the files for inputting to the system of the present invention, and to perform the reconciliation process in a uniform and consistent manner.

In an embodiment of the present invention, the fund manager 2 identifies the client account information to be held in the system, including the fund manager's client account names and corresponding custodian client account names, and
20 establishes the link within the system that collects the client account data for the fund manager 2. The system enables the fund manager 2 to manipulate the matching criteria for the client account data. The system allows the fund manager 2 to establish the same matching rules across-the-board or different matching rules for positions and for transactions, depending, for example, on the source of the data.
25 The system provides the fund manager 2 the flexibility to establish matching rules to meet the fund manager's particular needs.

The GUI of the system for an embodiment of the present invention allows a user, such as the fund manager 2, to describe and proscribe the fund manager's workflow process. For example, the fund manager 2 can allocate certain functions
30 within the system to different individuals within the fund manager's operation and to

segregate the work along the same lines, so that data access is distributed across those individuals to distribute the work. The system of the present invention gives the fund manager 2 the ability to view the results of the matching process for the reconciliation procedure either in a report form displayed on the screen of a
5 computer, such as a personal computer (PC), or the report can be printed on a printer, for example, connected to the PC. Likewise, the system gives the fund manager 2 the option to download the results of the matching process in a file.

Further, the system for an embodiment of present invention allows the fund manager 2 to display and manipulate the results, such as unmatched items, and to
10 track the investigation process, for example, at the PC. In an embodiment of the present invention, the reconciliation process is more than simply performing the matching process and identifying matched and unmatched items. For example, at some point, it is necessary to investigate and correct unmatched or mismatched items. While the system allows the investigation and correction to be performed within the
15 system of either the fund manager 2 or the custodial bank 4, typically the investigation and correction process is the responsibility of the fund manager 2. Thus, the system allows, for example, the fund manager 2 or the custodian 4 to track any discussions or actions that are taken in order to make the corrections. The system also allows either or both parties to see the history of the process by accessing
20 an archive of the reconciliation work that was done in the past.

The system and method for an embodiment of the present invention is a menu driven process, for example, in which a user using the GUI defines the criteria for the process and the way in which the process is performed. The system software presents various menus which include, for example, icons and fields for the GUI on a
25 Windows based operating system. The system software is designed to be easy and intuitive to use and prompts the user through the use of the menus and icons of the application software.

The system and method for an embodiment of the present invention provides flexibility, for example, in allowing the fund manager 2 to describe the matching
30 criteria in any way that is suitable to the fund manager 2. The system does not

restrict the elements that are used in matching and allows a selection of any elements to be tracked. The system also allows selection of different kinds of tolerances to the elements. For example, if the particular data is in numerical form, and the fund manager 2 seeks to match to the quantity of shares held, the fund manager 2 can tolerate being off by a penny or a single share. Therefore, the system allows a certain amount of flexibility in enabling, for example, the fund manager 2 to complete the fund manager's work in its particular operation.

In an embodiment of the present invention, the reconciliation process applies to records, such as securities positions, cash positions, securities transactions, and cash transactions. The system of the present invention automatically performs the reconciliation process in a number of steps. Fig. 4 is a schematic flow chart which illustrates an example of the process of position reconciliation for an embodiment of the present invention. Examples of those steps include receiving the records by the system from the custodian 4 and S1 and from the fund manager 2 at S2; formatting the records from the custodian 4 at S3 and from the fund manager 2 at S4; uploading the records to the system database for the custodian 4 at S5 and for the fund manager 2 at S6; defining matching rules for the records for the fund manager 2 and custodian 4 respectively and matching the records according to the matching rules at S7; generating a report of matched and unmatched records at S8 and S9, respectively; and reconciling and correcting unmatched records at S10.

In an embodiment of the present invention, position reconciliation refers to the verification by the fund manager 2 of all the securities and cash balances in their books, against the corresponding balances in the books of the custodian 4. This exercise results in the identification of position records that do not match, at S9, where it becomes necessary to investigate the cause of the discrepancy. The system for an embodiment is able to receive the position records from fund managers and custodians in SWIFT, ISITC and non-SWIFT proprietary formats. The data can be in the form of fixed-length, or comma-delimited, or tab-delimited records. The system allows for a sub-set of the expected data elements to be received from a particular entity. Such data is not rejected on account of incompleteness. For this purpose, the

basic minimal set of data elements is identified which must be present in any data that is received for the purpose of reconciliation. A facility is provided to convert the incoming messages and files into the format required by the system at S3 and S4, respectively, and to upload the data into the system database at S5 and S6, respectively.

The system for an embodiment of the present invention allows matching rules to be defined for each combination of fund managers and custodians at S7. Apart from defining equality and other relational rules, such as Mgr_Security_Id = Cust_Security_Id, there is a provision to define flexible rules. As an example of a flexible rule:

If (Mgr_Security_Id is not = Cust_Security_Id)

If (the first three characters (upper or lower case) of each word in the Security Description field for the two records are the same)

Consider the case as a match.

At S7, the positions data received from the two sides is matched according to the rules defined for the matching, which may include tolerances in percentage or nominal terms for each rule. These rules may encompass, but are not limited to, one or more data item, such as account number, security Id, units, unit cost, total cost, unit price, and total market value. Different levels of match success may be defined, depending on how close the match is.

The system is able to present to the fund manager 2, the matched data at S8 and the unmatched data at S9 separately. For the unmatched data, the system presents both sides of the picture on a consolidated screen, so as to enable the reconciliation personnel to view all the required information at a glance. At S10, a facility is provided for the personnel of fund manager 2 to enable them to force a manual match on records that have not matched as per the automated rules. Such manual matches have a reason assigned to them, as well as a date and user Id stamp, which the system captures, stores, and retrieves, as required. Such status changes require authorization. There is a set of useful queries and reports built into the system. This includes queries and/or reports to make available for viewing the

reconciled data to the fund manager 2 at a summary and detailed level. These queries and reports are defined as a part of the functional specifications for the application.

In an embodiment of the present invention, transaction reconciliation refers to the verification by the fund manager 2 of all the securities and cash transactions, such as sales, purchases, and corporate actions, in their books, against the corresponding transactions in the books of the custodians 4. This exercise results in the identification of transaction records that do not match, where it becomes necessary to investigate the cause of the discrepancy. The process of transaction reconciliation for the system application for an embodiment of the present invention is similar to that of position reconciliation, with certain significant differences. First, the data received from the custodian 4 at S1 and the fund manager 2 at S2 pertains to transactions, rather than positions. While there is typically data for each account coming in daily for positions, transaction data comes in only if there have been one or more transaction(s) for the particular account on the given date. Second, it is important to include balance-to-balance reconciliation as a part of transaction reconciliation. This entails reconciling a set of records which consists of an opening balance, a set of transactions, and a closing balance.

An important aspect of an embodiment of the present invention is the service bureau environment with the system software, which enables the handling of a multiplicity of different message and file formats, yet still creates a single file feed into the system application. The system for an embodiment of the present invention provides a service bureau environment as a flexible accounting tool for fund or investment managers, who provide the data to the system. The system links to any fund manager's system, collects the custodial information and brings it all together within a service bureau environment, and provides additional support to the fund manager 2. Another important aspect of an embodiment of the present invention is a high level of system security, which creates a trusted and secure environment. The system provides centralized automated account reconciliation in a trusted and secure environment of a financial institution, such as a bank. For example, all system data

that goes through the network is encrypted, and the highest level of security measures are provided for user access to the system data.

In an embodiment of the present invention, the system data related to a particular fund manager is never mingled with the data of any other fund manager and is never accessible by another fund manager. The system utilizes firewalls to protect access to the system data and requires a clearance to get through the firewalls. The network itself has a firewall which requires a special encrypted key or password in order to get into the network. The encryption utilizes the highest level of encryption standards that are used, for example, in the United States, namely 128-bit encryption.

The centralized automated reconciliation system application for an embodiment of the present invention is used in a highly distributed environment where multiple legal entities use it to reconcile their data. In order to maintain the confidentiality of the data of each entity, and to provide access to data on a need-to-know basis, the system is characterized by robust security features and tight controls. Security aspects for the centralized automated reconciliation system application for an embodiment of the present invention include, for example, user profile definition, user groups or use levels definition, mapping users to groups, mapping functions to groups, login and logout, and changing password. In general, the system application for an embodiment of the present invention is always run under the security umbrella provided by the SMS (Security Management System) component of the application. The security shell, therefore, supersedes all other application functions. Login to the application verifies the user Id and password and provides access to the functions to which the particular user is entitled. An audit log of the logins and logouts is maintained. Users of the application for an embodiment of the present invention are classified into groups with appropriate names and their functions.

The system for an embodiment of the present invention assists the fund manager 2 and the custodian 4 in reconciling the portfolios of their customers 8. The data for the reconciliation is received either in the form of files or SWIFT/ISITC messages at S1 and S2. At S5 and S6, data received from the fund manager 2 and

custodian 4 is loaded into the system database based on a pre-defined schedule. On completion of the loading, at S7, the matching process attempts to establish a match between a set of uniquely identifiable records from both the fund manager 2 and the custodian 4, based on the available match groups defined for the fund manager-custodian combination. The match process attempts to match all such unique sets of records. At the end of the match process, all sets of records that have not been matched are marked as unmatched at S9. The fund manager 2 is then able to view the match results and take appropriate action on each of the sets of records.

Features provided in the application for an embodiment of the present invention include, for example, a *Search* facility, a *Sort* facility, and a *Print* facility. The *Search* facility is provided in the list screens of most of the maintenance options. This feature can be used to look at selective records by entering one or more characters in the *Search On* fields. The *Search* facility is case-sensitive and shows all records which satisfy the search criteria. The *Sort* facility, which is a facility to sort a list of records, is provided in all the screens which are in the form of a grid. To sort a list of records on a particular column, the user clicks on the column header or column name. The *Print* facility is provided in most of the screens to print the data as seen on the screen. To print a particular screen, the user clicks the *Print* button.

An *Access* aspect of the system for an embodiment of the present invention involves procedures for accessing the system including, for example, *System Login* and *Changing Password*. Fig. 5 is a sample *Login* screen for an embodiment of the present invention. On invoking the system application for an embodiment of the present invention, the *Login* screen 50 is displayed for the user. The user enters a *UserId* 52 and *Password* 54 and clicks *LogOn* 56 to login to the application. If the user does not wish to login to the application, the user clicks *Exit* 58. Fig. 6 is a sample *Incorrect UserId Error Message* screen for an embodiment of the present invention. If the user enters an incorrect user Id, the *Incorrect UserId Error Message* screen 60 is displayed for the user. Fig. 7 is a sample *Incorrect Password Error Message* screen for an embodiment of the present invention. If the user enters an

incorrect password, the *Incorrect Password Error Message* screen 62 is displayed for the user.

Fig. 8 is a sample *Main Menu* screen of the system application for an embodiment of the present invention. If the user enters the user Id and password correctly, the *Main Menu* screen 64 with menu options, such as *File* 66, *View* 68,

Administration 70, *Setup* 72, *Query* 74, *Reports* 76, *Security* 78, and *Help* 80, for which the user has access privileges assigned to him or her is displayed for the user. Fig. 9 is a sample *Password Change* screen for an embodiment of the present invention. In case the user wishes to change his or her password, the user clicks the

Security menu 78 from the *Main Menu* 64 and selects the *Change Password* option, and the *Change Password* screen 82 is displayed for the user. The user enters the user's *Present Password* 84 and a *New Password* 86, re-enters the new password against *Confirm Password* 88, and clicks *OK* 90 to save the new password. The user's new password will be effective from the user's next login.

A *System Setup* aspect of an embodiment of the present involves a number of initial setup functions that are performed by the system administrator including, for example, *User Groups*, *User Group Mapping*, *Users*, and *System Parameters*. On installation of the application for an embodiment of the present invention, a user group and user are created by the installation process. The system administrator of the system can login using a user Id and password previously created. Thereafter, a sequence of operations is performed by the system administrator to complete the setup. For example, the system administrator can go to *Administration* → *User Group* and create one or more user groups for customer services. In the *User Groups* list screen, the system administrator selects a user group, and clicks a *Functions* button to provide access to menu options through the *User Group -System Function Mapping* screen. The system administrator can go to *Administration* → *User* and create one or more users for the user group(s) created. The customer service users can then access the customized automated reconciliation system application to setup the details to ready the system for use by a user. The system administrator can then perform the additional steps of creating one or more user groups for fund managers,

providing access to menu options to the user group(s), and create users for these user group(s). The application can then be accessed by the fund managers given their user Id and password.

Fig. 10 is a sample *User Group List* screen 92 and Fig. 11 is a sample *User Group Details* screen 94 for an embodiment of the present invention. In order to invoke a *User Groups* option from the *Administration* menu 70, the system administrator clicks *User Groups*. The purpose of this option is to allow the system administrator to maintain user groups. The entire operation is divided into two screens, namely the *User Group List* screen 92 and the *User Group Details* screen 94. The system administrator can view the entire list of user groups, in the *User Group List* screen 92 in a tabular form. The details of a particular user group can be seen in the *User Group Details* screen 94. The access to various system functions can be provided for a user group through the *User Group Mapping* screen. There are no pre-requisites to add/modify a user group, but to delete a user group, it is a pre-requisite that no user must belong to the user group which is to be deleted. The user group *System Administrator* 96 is a default user group created to run the system application for an embodiment of the present invention, and this user group cannot be deleted.

Referring to Fig. 10, the *User Group Summary* screen 92 lists the available user groups. This screen can be used to add new user groups and to modify, view and delete existing user groups. To add a new user group, the system administrator selects a record from the list displayed on the scene and clicks *Add* 98. This launches the *UserGroup Details* screen 94 shown in Fig. 11 with the details of the selected record, on which the key fields are blank. The system administrator enters the required details and clicks *OK* 100. Alternatively, the system administrator selects a blank record from the list displayed on the *User Group Summary* screen 92 by clicking *Clear* 102 and clicking *Add* 98. This launches the *UserGroup Details* screen 94 with all entry fields blank. The system administrator enters the required details and clicks *OK* 100. To modify a user group, the system administrator selects a record from the list and clicks *Modify* 104. This launches the *User Group Details*

screen 94 with the details of the selected record. The key fields are not editable. The system administrator can then modify the required details and click *OK* 100. In order to delete a user group, the system administrator selects the desired user group from the list shown on the *User Group Summary* screen 92 and clicks *Delete* 106, and the

5 *User Group Details* screen 94 is launched. The system administrator clicks on the *OK* button 100, and a message box *Delete Details?* is displayed. The system administrator clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. It is not possible to delete the user group *System Administrator* 96.

Referring further to Figs. 10 and 11, to view details of a user group, the

10 system administrator double clicks the desired record or selects the desired user group from the list and clicks *View* 108 /presses *Enter*. In order to provide access to system functions for a user group, the system administrator clicks the desired record to select the user group, and clicks *Function* 110 to go to a *User GroupMapping* screen. When the system administrator clicks *OK* 100, the screen closes after saving

15 message details. In the *Delete* mode 106, the system administrator clicks *Yes* to confirm the deletion; otherwise the system administrator clicks *No*. When the system administrator clicks *Close* 112 after making modifications, he or she has three choices, namely, to click *Yes* to exit after saving, to click *No* to exit without saving, and to click *Cancel* to maintain the status quo.

20 Fig. 12 is a sample *User Group Mapping* screen for an embodiment of the present invention. To invoke this option the system administrator selects the *Administration* option 70 from the *Main Menu* screen 64 of Fig. 8 and from the *Administration* menu clicks *User Groups*. The system administrator then selects a user group and clicks *Functions*. This option allows the system administrator to set

25 the privileges for various system functions menu options that can be accessed by users belonging to a particular user group. The system administrator can set up these privileges in the *User Group Mapping* screen 114. As a pre-requisite, the entries for system functions and user groups desired for mapping must be completed before the mapping can take place. The *User Group Mapping* screen 114 lists the *System*

30 *Functions Available* in the list box 116 on the left side of the screen and the *System*

Functions Mapped in the list box 118 on the right side of the screen. The system administrator can add or remove the system functions from the user group privileges.

Referring to Fig. 12, to get the current privileges for a user group, the system administrator selects the *UserGroupId* from a pull down list 120. In order to add a system function in the selected user group privileges, the system administrator selects one or more records from the *System Functions Available* list box 116 and clicks *Add* 122. The records shift to the *System Functions Mapped* list box 118, and the systems administrator clicks *OK*. In order to remove a system function from the selected user group privileges, the system administrator selects one or more records from the *System Functions Available* list box 116 and clicks *Remove* 124. The records shift to the *System Functions Mapped* list box 118, and the system administrator clicks *OK*.

Referring further to Fig. 12, to copy user group privileges from another user group, the system administrator selects the user group Id for which he or she wants to set privileges, selects the user group Id from which he or she wants to copy the privileges, and the list boxes are populated with the privileges of the selected user group Id. The system administrator can add or remove privileges to them if required and clicks *OK* to save the changes. When the system administrator clicks *OK*, the changes are saved. The system administrator can change the selection of user group Id and set privileges for it. When the system administrator clicks *Clear* 126 after making modifications, he or she is offered a choice to click *Yes* to save the changes and the entry fields are cleared or a choice to click *No* to clear the entry fields without saving any changes or to click *Cancel* to maintain the status quo. When the system administrator clicks *Close* 128 after making modifications, he or she is offered a choice to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

Fig. 13 is a sample *Users* screen and Fig. 14 is a sample *User Details* screen for an embodiment of the present invention. In order to invoke this option, the system administrator selects *Administration* 70 from the *Main Menu* screen 64 and from an *Administration* menu clicks *Users*. This option allows the system administrator to maintain users. The entire operation is divided into the *Users* list

screen 130 and a *User Details* screen 132. The system administrator can view the entire list of users in the *Users* list screen 130 in a tabular form. The details of a particular user can be seen in the *User Details* screen 132. Pre-requisites to add/modify a user are that it is necessary to first create the user group to which the new user is to be allocated, and if the user is a fund manager, then the entry for that fund manager must be made before a new user is created.

Referring to Fig. 13, the *Users* screen 130 lists all users. In order to delete a user, the user must not be present in any account details. The *Users* screen 130 lists the available users. The system administrator can add new users, and can modify, view and delete existing users. To search for users, the system administrator enters the first few characters of the user Id and /or the user group Id of the users for which he or she is looking and clicks *Search* 134. The search facility is case sensitive. The list displays only those records whose first few characters match the characters entered. The system administrator clicks *Clear* 136 to revert to the entire list.

Referring Figs. 13 and 14, to add a new user, the system administrator selects a record from the list and clicks *Add* 138. This launches the *User Details* screen 132 with the details of the selected record on which the key fields are blank. The system administrator enters the required details and clicks *OK* 140 or selects a blank record from the list by clicking *Clear* 136 and clicks *Add* 138. This launches the *User Details* screen 132 with all entry fields blank. The system administrator enters the required details and clicks *OK* 140. To modify a user, the system administrator selects a record from the list and clicks *Modify* 142. This launches the *User Details* screen 132 with the details of the selected record on which the key fields are not editable. The system administrator then modifies the required details and clicks *OK* 140.

Referring further to Figs. 13 and 14 , to delete a user, the system administrator selects the desired user from the list and clicks *Delete* 144, and the *User Details* screen 132 is launched. The system administrator clicks on the *OK* 140 button., and a message box *Delete Details ?* is displayed. The system administrator clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. It is not

possible to delete the user system administrator, which is the default user created during installation of the application for an embodiment of the present invention. To view details of a user, the system administrator double clicks the desired record or selects the desired user from the list and clicks *View* 146/Presses *Enter*. When the system administrator clicks *OK*, the *User Details* screen 132 closes after saving the user details. In the delete mode, the system administrator clicks *Yes* to confirm the deletion; otherwise, he or she clicks *No*. When the system administrator clicks *Close* 148 after making modifications, he or she is offered a choice to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

Fig. 15 is a sample *System Parameters List* screen and Fig. 16 is a sample *System Parameters Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the system administrator clicks *System Parameter*. The purpose of this option is to allow the system administrator to maintain various system parameters. The operation is divided into the *System Parameters List* screen 150 and a *System Parameters Details* screen 152. The system administrator can view the entire list of system parameters in the *System Parameters List* screen 150 in a tabular form. The details of a particular system parameter can be seen in the *System Parameters Details* screen 152. There are no pre-requisites for adding or deleting a new system parameter.

Referring to Figs. 15 and 16, the *System Parameters List* screen 150 lists the available system parameters. The system administrator can add a new system parameter, or modify, view or delete existing system parameters. To add a new system parameter, the system administrator selects a record from the list and clicks *Add* 154, which launches the *System Parameters Details* screen 152 with the details of the selected record on which the key fields are blank. The system administrator enters the required details and clicks *OK* 156 or selects a blank record from the list by clicking *Clear* 158 and clicks *Add* 154. This launches the *System Parameters Details* screen 152 with all entry fields blank. The system administrator enters the required details and clicks *OK* 156. To modify an existing system parameter, the system

administrator selects a record from the list and clicks *Modify* 160. This launches the *System Parameters Details* screen 152 with the details of the selected record on which the key fields are not editable. The system administrator modifies the required details and clicks *OK* 156.

5 Referring further to Figs. 15 and 16, to delete a system parameter, the system administrator selects the desired system parameter from the list and clicks *Delete* 162, and the *System Parameters Details* screen 152 is launched. The system administrator clicks on the *OK* button 156, and a message box *Delete Details ?* is displayed. The system administrator clicks *Yes* to confirm the deletion or clicks *No* if
10 he or she has changed his or her mind. In order to view details of an existing system parameter, the system administrator double clicks the desired record or selects the desired system parameter from the list and clicks *View* 164 /presses *Enter*. When the system administrator clicks *OK* 156, the screen closes after saving system parameter details. In the delete mode, the system administrator clicks *Yes* to confirm the
15 deletion; otherwise he or she clicks *No*. When the system administrator clicks *Close* 166 after making modifications, he or she is offered a choice to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

A *Customer Service Setup* aspect of an embodiment of the present invention
20 involves setup functions performed by customer service, such as *Currency Maintenance*, *Security Types Maintenance*, *Services Maintenance*, *Fund Managers*, *Fund Manager Services*, *Fund Manager Import File Mapping*, *Custodian Banks*, *Custodian Contacts*, *Custodian Services*, *Custodian Import File Mapping*, and *Scheduler Setup*. Fig. 17 is a sample *Currency List* screen and Fig. 18 is a sample
25 *Currency Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user clicks *Currency*. This option allows the user to maintain currencies. The entire operation is divided the *Currency List* screen 168 and the *Currency Details* screen 170. The user can view the entire list of currencies in the *Currency List* screen 168 in a tabular form. The details of a
30 particular currency can be seen in the *Currency Details* screen 170. There are no pre-

option from the *Administration* menu, the security administrator clicks *Security Type*. This option allows the user to maintain various security types. The entire operation is divided into the *Security Type List* screen 192 and a *Security Type Details* screen 194. The user can view the entire list of security types in the *Security Type List* screen 192 in a tabular form. The details of a particular security type can be seen in the *Security Type Details* screen 194. There are no pre-requisites for adding a new security type, but a pre-requisite for deleting an existing security type is deletion of all the entries in the match group level maintenance for the security type to be deleted. The *Security Type List* screen 192 lists the available security types. The user can add a new security type or modify, view or delete an existing security type.

Referring to Figs. 19 and 20, to search on security types, the user enters one or more leftmost characters in the *Security Type Id* field 196 and/or the *Security Type Description* field 198 and clicks *Search* 200. This displays the security types that match the entry. The user clicks *Clear* 202 to revert to the entire list. To add a new security type, the user selects a record from the list and clicks *Add* 204. This launches the *Security Type Details* screen 194 with the details of the selected record on which the key fields are blank. The user enters the required details and clicks *OK* 206 or selects a blank record from the list by clicking *Clear* 202 and clicks *Add* 204. This launches the *Security Type Details* screen 194 with all entry fields blank. The user enters the required details and clicks *OK* 206.

Referring to Figs. 19 and 20, to modify an existing security type the user selects a record from the list and clicks *Modify* 208. This launches the *Security Type Details* screen 194 with the details of the selected record on which the key fields are not editable. The user modifies the required details and clicks *OK* 206. To delete a security type, the user selects the desired security type from the list and clicks *Delete* 210, and the *Security Type Details* screen 194 is launched. The user clicks on the *OK* button 206, and a message box *Delete Details ?* is displayed. The user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind.

Referring further to Figs. 19 and 20, to view details of an existing security type, the user double clicks the desired record or selects the desired security type

from the list and clicks *View* 212 /presses *Enter*. When the user clicks *OK* 206, the screen closes after saving security type details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 214 after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

Fig. 21 is a sample *Services Types List* screen and Fig. 22 is a sample *Service Type Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user clicks *Service*. This option allows the user to maintain various service types. The entire operation is divided into the *Service Types List* screen 216 and a *Service Type Details* screen 218. The user can view the entire list of service types in the *Service Types List* screen 216 in a tabular form. The details of a particular service type can be seen in the *Service Type Details* screen 218. There are no pre-requisites to add, modify or delete a service type. The *Services Types List* screen 216 lists the available service types. The user can add new service types or modify, view and delete existing types.

Referring to Figs. 21 and 22, to search for service types, the user enters the first few characters of the service type Id and/or service type description of the service type for which he or she is looking and clicks *Search* 220. The search facility is case sensitive. The list displays only those types whose first few characters match the characters entered. The user clicks *Clear* 222 to revert to the entire list. To add a new service type, the user selects a row from the list and clicks *Add* 224. This launches the *Service Details* screen 218 with the details of the selected type on which the key fields are blank. The user enters the required details and clicks *OK* 226 or selects a blank row from the list by clicking *Clear* 222 and clicks *Add* 224. This launches the *Service Details* screen 218 with all entry fields blank. The user enters the required details and clicks *OK* 226.

Referring further to Figs. 21 and 22, to modify a service type, the user selects a row from the list and clicks *Modify* 228. This launches the *Service Details* screen 218 with the details of the selected type on which the key fields are not editable. The

user modifies the required details and clicks *OK* 226. To delete a service type, the user selects the desired type from the list and clicks *Delete* 230, and the *Service Details* screen 218 is launched. The user clicks on the *OK* button 226, and a message box *Delete Details ?* is displayed. The user clicks *Yes* to confirm the deletion or
 5 clicks *No* if he or she has changed his or her mind. To view details of a service type, the user double clicks the desired row or selects the desired service type from the list and clicks *View* 232/presses *Enter*

Fig. 23 is a sample *Fund Managers List* screen and Fig. 24 is a sample *Fund Manager Details* screen for an embodiment of the present invention. To invoke this
 10 option from the *Administration* menu, the user clicks *Fund Manager Profile*. This option allows the user to maintain details of fund managers. The entire operation is divided into the *Fund Managers List* screen 234 and a *Fund Manager Details* screen 236. The user can view the entire list of fund managers, in the *Fund Managers List* screen 234 in a tabular form. For a search criteria specified by the user for fund
 15 manager Id and/or parent fund manager Id the *Fund Managers List* screen 234 shows records which satisfy the search criteria. The details of a particular fund manager can be seen in the *Fund Manager Details* screen 236. The user can view a list of services available to a fund manager by selecting the fund manager record and clicking the *Services* button 238. The user can map the import file information with the database
 20 information corresponding to the service by selecting the fund manager record and clicking the *Map* button 240. There are no pre-requisites to view, add/modify, or delete a fund manager, or to select a service, but to map a service, the service must be defined in the services maintenance. The *Fund Managers List* screen 234 lists available fund managers matching the fund manager Id and parent fund manager Id in
 25 the search criteria. The user can add new fund managers, modify, view and delete existing fund managers.

Referring to Figs. 23 and 24, to search for fund managers, the user enters the first few characters of the fund manager Id and/or parent fund manager Id of the fund manager for which the user is looking and clicks *Search* 242. The list will display
 30 only those fund managers whose first few characters match the characters entered.

The user clicks *Clear* 244 to revert to the entire list of fund managers. To add a new fund manager, the user selects a row from the list and clicks *Add* 246. This launches the *Fund Manager Details* screen 236, the key fields of which are blank. If the fund manager has a parent fund manager, a *Parent Fund Manager Combo* box is enabled; otherwise it is disabled. The user enters the required details and clicks *OK* 248 or selects a blank row from the list by clicking *Clear* 244 and clicks *Add* 246. This launches the *Fund Manager Details* screen 236, and the user enters the required details and clicks *OK* 248.

Referring further to Figs. 23 and 24, to modify a fund manager, the user selects a row from the list and clicks *Modify* 250. This launches the *Fund Manager Details* screen 236 with the details of the selected fund manager, and the user modifies the required details and clicks *OK* 248. To delete a fund manager, the user selects the desired fund manager from the list and clicks *Delete* 252. The *Fund Manager Details* screen 236 is launched, and the user clicks on the *OK* button 248. A message box *Delete Details ?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of a fund manager, the user double-clicks the desired row or selects the desired fund manager from the list and clicks *View* 254 /presses *Enter*. To specify services for a fund manager, the user clicks the fund manager from the list and clicks the *Services* button 238, and a *Fund Manager Service - List* screen is shown. To map the fund manager's services, the user clicks the fund manager from the list, clicks the *Map* button, and a *Fund Manager Map - List All* screen is shown. When the user clicks *OK* 248, the screen closes after saving fund manager details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 256 after making modifications, he or she is given choices to click *Yes* to exit after saving, to click *No* to exit without saving, or to click *Cancel* to maintain the status quo.

Fig. 258 is a sample *Fund Manager Service - List* screen and Fig. 260 is a sample *Fund Manager Service Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu the user clicks *Fund*

Manager Profile, selects a fund manager record from the list screen 234, and clicks Services 238. This option allows the user to maintain various services for all fund managers. The entire operation is divided into the *Fund Manager Service - List* screen 258 and the *Fund Manager Service Details* screen 260. The user can view the entire list of services for a fund manager in the *Fund Manager Service - List* screen 258 in a tabular form. The details of services can be seen in the *Fund Manager Service Details* screen 260. As a pre-requisite, the services must be defined in the services maintenance before they can be mapped to fund managers. The *Fund Manager Service - List* screen 258 lists available services for a selected fund manager. The system administrator can add new services, modify, view and delete existing services.

Referring to Figs 25 and 26, to add a new service, the user selects a row from the list and clicks *Add* 262. This launches the *Fund Manager Service Details* screen 260 on which the key fields are blank except for the service type Id, file format and table name, which have to be chosen from a specified list. The user enters the required details and clicks *OK* 264 or selects a blank row from the list by clicking *Clear* 266 and clicks *Add* 262. This launches the *Fund Manager Service Details* screen 260, and the user enters the required details and clicks *OK* 264. To modify a service, the user selects a row from the list and clicks *Modify* 268. This launches the *Fund Manager Service Details* screen 260 with the details of the selected service, and the user modifies the required details and clicks *OK* 264

Referring further to Figs. 25 and 26, to delete a service, the user selects the desired service from the list and clicks *Delete* 270. The *Fund Manager Service Details* screen 260 is launched, and the user clicks on the *OK* button 264. A message box *Delete Details ?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of a service, the user double clicks the desired row or selects the desired service from the list and clicks *View* 272/presses *Enter*. When the user clicks *OK* 264, the screen closes after saving service details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 274 after making

modifications, he or she is offered choices to click *Yes* to exit after saving, to click *No* to exit without saving, and to click *Cancel* to maintain the status quo

Fig. 27 is a sample *Fund Manager Map - List* screen and Fig. 28 is a sample *Fund Manager Map Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user clicks *Fund Manager Profile*, Selects a fund manager record, and clicks *Map*. This option allows the user to maintain information about import files for service information. The entire operation is divided into the *Fund Manager Map - List All* screen 276 and the *Fund Manager Map Details* screen 278. The user can view the entire list of fund manager map information for a fund manager Id in the *Fund Manager Map - List All* screen 276 in a tabular form. The details of services for a particular service can be seen in the *Fund Manager Map Details* screen 278. As a pre-requisite, details of services for fund manager(s) must be entered through fund manager services maintenance. The *Fund Manager Map - List All* screen 276 lists available map information records for the system administrator's fund manager Id. The user can add new map information or modify, view and delete existing information.

Referring further to Figs. 27 and 28, to add a new map information, the user selects a row from the list and clicks *Add* 280. This launches the *Fund Manager Map Details* screen 278, the key fields of which are blank except for the *Table Name* 282, *Primary Field Name* 284, *Secondary Field Name* 286 and *CARS Field Name* 288, which have to be chosen from a specified list. The user enters the required details and clicks *OK* 290 or selects a blank row from the list by clicking *Clear* 292 and clicks *Add* 280, which launches the *Fund Manager Map Details* screen 278. The list boxes will contain values allocated to the user, and he or she enters the required details and clicks *OK* 290. To modify a map information, the user selects a row from the list and clicks *Modify* 294. This launches the *Fund Manager Map Details* screen 278 with the details of the selected map information. The user modifies the required details and clicks *OK* 290.

Referring again to Figs. 27 and 28, to delete a map information, the user selects the desired map information from the list and clicks *Delete* 296 and the *Fund*

Manager Map Details screen 278 is launched. The user clicks on the *OK* button 290, and a message box *Delete Details ?* is displayed. The user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of a map information, the user double clicks the desired row or selects the desired map information from the list and clicks *View* 298/presses *Enter*. When the user clicks *OK* 290, the screen closes after saving map information details. In the delete mode, the system administrator clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 300 after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

Fig. 29 is a sample *Custodian List* screen and Fig. 30 is a sample *Custodian Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user clicks *Custodian Bank*. This option allows the user to maintain various custodians bank details. The entire operation is divided into the *Custodian List* screen 302 and the *Custodian Details* screen 304. The user can view the entire list of custodians in the *Custodian List* screen 302 in a tabular form. The details of a particular custodian can be seen in the *Custodian Details* screen 304. There are no pre-requisites for adding a new custodian. However, for deleting an existing custodian, it is necessary to delete all the entries in maintenance tables for the custodian to be deleted, including accounts maintenance, custodian contacts maintenance, custodian positions maintenance, custodian services maintenance, custodian transactions maintenance, match group level maintenance, and fund manager custodian mapping maintenance. The *Custodian - List All* screen 302 lists the available custodians. The user can add a new custodian or modify, view or delete an existing custodian.

Referring to Figs. 29 and 30, to search on custodian, the system administrator enters one or more leftmost characters in the *Custodian Id* field 306 and/or *Custodian Name* field 308 and clicks *Search* 310. This displays the custodians that match the entry, and the system administrator clicks *Clear* 312 to revert to the entire list. To add a new custodian, the user selects a record from the list and clicks *Add* 314. This

launches the *Custodian Details* screen 304 with the details of the selected record on which the key fields are blank. The user enters the required details and clicks *OK* 316 or selects a blank record from the list by clicking *Clear* 312 and clicks *Add* 314. This launches the *Custodian Details* screen 304 with all entry fields blank, and the user enters the required details and clicks *OK* 316. To modify an existing custodian, the user selects a record from the list and clicks *Modify* 318. This launches the *Custodian Details* screen 304 with the details of the selected record on which the key fields are not editable. The user modifies the required details and clicks *OK* 316.

Referring further to Figs. 29 and 30, to delete a custodian, the user selects the desired custodian from the list and clicks *Delete* 320. The *Custodian Details* screen 304 is launched, and the user clicks on the *OK* button 316. A message box *Delete Details ?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing custodian, the user double clicks the desired record or selects the desired custodian from the list and clicks *View* 322/presses *Enter*. To go to a *Custodian Contacts* screen, a *Custodian-Map* screen, or a *Custodian-Services* screen for a particular custodian, the user selects a custodian from the list and clicks on the *Contacts* 324, *Map* 326, or *Services* 328 button. This launches the desired screen for that particular custodian. When the user clicks *OK* 316, the screen closes after saving custodian details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 330 after making modifications, he or she is offered choices to click *Yes* to exit after saving, to click *No* to exit without saving, or to click *Cancel* to maintain status quo.

Fig. 31 is a sample *Contacts List* screen and Fig. 32 is a sample *Contacts Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu the user clicks *Custodian Bank*, selects a custodian bank record, and clicks *Contacts* 324. This option allows the user to maintain various contacts for a particular custodian. The entire operation is divided into the *Contacts List* screen 332 and the *Contacts Details* screen 334. The user can view the entire list of contacts in the *Contacts List* screen 332 in a tabular form. The details of

a particular contact can be seen in the *Contacts Details* screen 334. It is a pre-requisite for adding a new contact that a custodian profile be created before creating the new contact, because the contact is created for a particular custodian. There are no pre-requisites for deleting an existing contact. The *Contacts - List All* screen 332
 5 lists the available contact. The user can add new contacts or modify, view or delete existing contacts.

Referring to Figs. 332 and 334, to add a new contact, the user selects a record from the list and clicks *Add* 336. This launches the *Contacts Details* screen 334 with the details of the selected record on which the key fields are blank. The user enters
 10 the required details and clicks *OK* 338 or selects a blank record from the list by clicking *Clear* 340 and clicks *Add* 336. This launches the *Contacts Details* screen 334 with all entry fields blank, and the user enters the required details and clicks *OK* 338. To modify an existing contact, the user selects a record from the list and clicks *Modify* 342. This launches the *Contacts Details* screen 334 with the details of the
 15 selected record, the key fields of which are not editable. The user modifies the required details and clicks *OK* 338.

Referring further to Figs. 31 and 32, to delete a contact, the user selects the desired contact from the list and clicks *Delete* 344. The *Contacts Details* screen 334 is launched, and the user clicks on the *OK* button 338. A message box *Delete
 20 Details?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing contact, the user double clicks the desired record or selects the desired contact from the list and clicks *View* 346/presses *Enter*. When the user clicks *OK* 338, the screen closes after saving contact details. In the delete mode, the user clicks *Yes* to confirm the deletion;
 25 otherwise he or she clicks *No*. When the user clicks *Close* 348 after making modifications, he or she is offered choices to click *Yes* to exit after saving, to click *No* to exit without saving, or to click *Cancel* to maintain the status quo

Fig. 33 is a sample *Custodian Services List* screen and Fig. 34 is sample *Custodian Services Details* screen for an embodiment of the present invention. To
 30 invoke this option from the *Administration* menu, the user clicks *Custodian Bank*,

selects a custodian bank record, and clicks *Services* 328. This option allows the user to maintain various services for a custodian. The entire operation is divided into the *Custodian Services List* screen 350 and the *Custodian Services Details* screen 352. The user can view the entire list of custodian services in the *Custodian Services List* screen 350 in a tabular form. The details of a particular service can be seen in the *Custodian Services Details* screen 352. As a pre-requisite for adding a new service, in order to specify the services for a particular custodian, the related custodian record must have been entered through custodian maintenance. As a pre-requisite for deleting an existing service, before deleting any service, any import map set for the custodian for that service Id must be deleted. The *Custodian Services - List* screen 350 lists the available services for a particular custodian. The user can add new services and modify, view and delete existing services.

Referring to Figs. 33 and 34, to add a new service, the user selects a record from the list and clicks *Add* 354. This launches the *Custodian Services Details* screen 352 with the details of the selected record, the key fields of which are blank. The user enters the required details and clicks *OK* 356 or selects a blank record from the list by clicking *Clear* 358 and clicks *Add* 354. This launches the *Custodian Services Details* screen 352 with all entry fields blank, and the user enters the required details and clicks *OK* 356. To modify an existing service, the user selects a record from the list and clicks *Modify* 360. This launches the *Custodian Services Details* screen 352 with the details of the selected record, on which the key fields are not editable. The user modifies the required details and clicks *OK* 356.

Referring further to Figs. 33 and 34, to delete a service, the user selects the desired service from the list and clicks *Delete* 362. The *Custodian Services Details* screen 352 is launched, and the user clicks on the *OK* button 356. A message box *Delete Details?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing service, the user double clicks the desired record or selects the desired service from the list and clicks *View* 364/presses *Enter*. When the user clicks *OK* 356, the screen closes after saving details of a custodian service. In the delete mode, the user clicks *Yes* to

confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 366 after making modifications, he or she is offered choices to click *Yes* to exit after saving, to click *No* to exit without saving, or to click *Cancel* to maintain the status quo

5 Fig. 35 is a sample *Custodian Mapping List* screen and Fig. 36 is a sample *Custodian Mapping Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user clicks *Custodian Bank*, selects a custodian bank record, and clicks *Map* 326. This option allows the user to maintain custodian file import mapping details. The entire operation is divided into
10 the *Custodian Mapping List* screen 368 and the *Custodian Mapping Details* screen 370. The user can view the entire list of custodian import mappings in the *Custodian Mapping List* screen 368 in a tabular form. The details of a particular custodian import mapping can be seen in the *Custodian Mapping Details* screen 370. As a pre-requisite to add or modify a custodian import map, the combination of custodian Id
15 and the service type Id for which the mapping is required must be entered through the custodian services maintenance. In custodian services the service import table name and the import file format must be defined for the selected service type Id. There are no pre-requisites to delete a custodian import map.

Referring to Figs. 35 and 36, to add a new custodian import mapping, the user
20 selects a record from the list and clicks *Add* 372. This launches the *Custodian Mapping Details* screen 370 with the details of the selected record, on which the key fields are blank. The user enters the required details and clicks *OK* 374 or selects a blank record from the list by clicking *Clear* 376 and clicks *Add* 372. This launches the *Custodian Mapping Details* screen 370 with all entry fields blank, and the user
25 enters the required details and clicks *OK* 374. To modify a custodian import mapping, the user selects a record from the list and clicks *Modify* 378. This launches the *Custodian Mappings Details* screen 370 with the details of the selected record on which the key fields are not editable. The user modifies the required details and clicks *OK* 374.

Referring further to Figs. 35 and 36, to delete a custodian import mapping, the user selects the desired custodian import mapping from the list and clicks *Delete* 380. The *Custodian Mapping Details* screen 370 is launched, and the user clicks on the *OK* button 374. A message box *Delete Details?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing custodian import mapping, the user double clicks the desired record or selects the desired custodian import mapping from the list and clicks *View* 382/presses *Enter*. When the user clicks *OK* 374, the screen closes after saving custodian import mapping details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 384 after making modifications, he or she is offered choices to click *Yes* to exit after saving, to click *No* to exit without saving, or to click *Cancel* to maintain the status quo.

Fig. 37 is a sample *Scheduler Setup* screen and Fig. 38 is a sample *Times* screen for an embodiment of the present invention. To invoke this option from the *Setup* menu, the user clicks *Scheduler*. This setup enables the user to view or set scheduler options for import, match, import and match, and archive. As prerequisites, services should be set up for fund managers before scheduler setup can be done. Also, import-setup, match-group-levels and match-group-elements creation should be completed before any activity of importing, archiving, or matching starts. The *Scheduler Setup* screen 386 has three dropdown lists for selection. For a user belonging to a fund manager, the fund manager Id is displayed in a *Fund Manager Id* dropdown list 388. For a customer services user, all fund manager Ids are displayed, of which one can be selected. A *Service Type ID* dropdown list 390 is for selecting a service type Id, and an *Action* dropdown list 392 is for selecting an action from the available *Action* list 392, such as import, match, import and match, or archive. The current scheduler setup for a particular combination of fund manager Id, service type Id and action are displayed on the screen. If no options have been set for a particular combination, default options are displayed and a *Created By* field 394 displays *New Record*. The screen is refreshed each time the combination changes.

Referring to Figs. 37 and 38, the user selects the *Mode* 396 as one of *Automatic* 398, *Scheduled* 400 or *Manual* 402. For *Action* 392 as match or import and match, and services like transactions and/or holdings, which are relevant for the matching process, the user selects the *Match Option* 404 as one of *New data only* 406, *Unmatched data only* 408, or *All data* 410. *Service Level* selections 412 include *Daily* 414, *Weekly* 416, *Monthly* 418, or *Specific* 420. A scheduler setup is effective if the *Status* 422 is *Enabled* 424. If it is *Disabled* 426, the scheduler setup is ineffective. When the user clicks *Save* 428, currently displayed options are saved for that particular combination of fund manager Id, service type Id and action. When the user clicks *Close* 430, if no changes have been made, the *Scheduler Setup* form 386 closes. If any selections have been changed, such as fund manager Id, service type Id, or action, the user is offered choices to click *Yes* to save changes, to click *No* to proceed without saving changes, or to click *Cancel* to maintain the status quo. When the user clicks *Now* 432, the selected action is invoked when the *Now* button 432 is clicked. The *Now* button 432 is enabled only when the *Mode* 396 is *Manual* 402 for a particular action. When the user clicks the *Times* button 434, the *Times* form 436 is launched. The *Times* button 434 is enabled only when the *Mode* 396 is *Scheduled* 400. When the form 436 is loaded, the currently set times (or 12:00 am as default, if no times are set) are displayed in the listbox 438 on the right side of the screen.

Referring further to Figs. 37 and 38, the *Times* form 436 allows various times to be set for an action for the *Scheduled* mode 400. When the *Times* form 436 is loaded, the currently set times (or 12:00 am as default, if not times are set) are displayed in the listbox 438 on the right side of the screen. To set up schedule times, the user fills the number of minutes he or she wants as the time interval in the *Time Interval* textbox 444 and clicks on *Fill Times* 446. The combo box 448 on the left side of the screen is filled with the times starting from 12:00 am and with the interval as indicated in the textbox 444. The default time interval is 30 minutes. The user selects the time he or she wants and clicks on *Add* 450 to add times to the list box 438 on the right. To delete any times, the user selects the time from the list box 438 on the right and clicks on *Delete* 452 and clicks on *OK* 454 to save the schedules.

When the user clicks on *OK* 454, the displayed times are marked for saving, the *Times* form 436 is closed, and the *Scheduler Setup* form 386 is displayed. When the user clicks *Close* 430, if no modifications have been made, the *Scheduler Setup* screen 386 is closed. If modifications have been made, the user is given choices to

5 click *Yes* to exit after marking changes for saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

A Fund Manager Setup aspect of an embodiment of the present invention involves menu options that are accessed by each fund manager to setup data before import and reconciliation of data can be done including, for example, Clients,

10 Accounts, User - Client Mapping, Account Type, Match Groups, Match Group Elements, Match Group Levels, Fund Manager - Security Mapping, Manager Unmatched Display Setup, Bank Unmatched Display Setup, and Matched Display Setup. Fig. 39 is a sample *Clients List* screen and Fig. 40 is a sample *Client Details* screen for an embodiment of the present invention. To invoke this option from the

15 *Administration* menu the user clicks *Client* and *Account*. This option allows the user to maintain various clients specific to his or her fund manager Id and accounts corresponding to the client Id. The entire operation is divided into the *Clients List* screen 456 and the *Client Details* screen 458. The user can view the entire list of clients in the *Clients List* screen 456 in a tabular form that matches his or her fund

20 manager Id and the search criteria corresponding to the client name and client Id given by the user. The details of a particular client can be seen in the *Client Details* screen 458. As a pre-requisite to view a client, the user can create clients that correspond to his or her fund manager Id only. As a pre-requisite to add/modify a client, the user can create clients that correspond to his or her fund manager Id only.

25 As a pre-requisite to delete a client, the user can create clients that correspond to his or her fund manager Id only. The *Clients List* screen 456 lists available clients corresponding to the user's fund manager Id and matching the client Id and client name in the search criteria. The user can add new clients or modify, view and delete existing clients only if they correspond to his or her fund manager Id. The user can

30 view the profiles of those accounts that belong to his or her client Ids.

Referring to Figs. 39 and 40, to search for clients, the user enters the first few characters of the *Client Id* 460 and/or *Client Name* 462 of the client he or she is looking for and clicks *Search* 464. The list will display only those clients whose first few characters match the characters entered and corresponding to the user's fund manager Id, depending on whether he or she is a manager or not. The user clicks *Clear* 466 to revert to the entire list of clients that correspond to his or her fund manager Id. To add a new client, the user can add a client that corresponds to his or her fund manager Id. The user selects a row from the list and clicks *Add* 468. This launches the *Client Details* screen 458 the key fields of which are blank. The user enters the required details and clicks *OK* 470 or selects a blank row from the list by clicking *Clear* 466 and clicks *Add* 468. This launches the *Client Details* screen 458 with all entry fields blank except the *Custodian Id* field 472. The list boxes will contain values allocated to the user, and he or she enters the required details and clicks *OK* 470. The user can modify all clients that correspond to his or her fund manager Id. To modify a client, the user selects a row from the list and clicks *Modify* 474. This launches the *Client Details* screen 458 with the details of the selected client on which only the client name is editable. The user modifies the required details and clicks *OK* 470.

Referring further to Figs. 39 and 40, to delete a client, the user can delete only those clients that correspond to his or her fund manager Id. The user selects the desired client from the list and clicks *Delete* 476, and the *Client Details* screen 458 is launched. The user clicks on the *OK* button 470 and a message box *Delete Details?* is displayed. The user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of a client, the user double clicks the desired row or selects the desired client from the list and clicks *View* 478/presses *Enter*. To maintain accounts of a client, the user selects a client and clicks *A/c Profile* 480. When the user clicks *OK* 470, the screen closes after saving client details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 482 after making modifications, he or

she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

Fig. 41 is a sample *Accounts List* screen and Fig. 42 is a sample *Account Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user clicks *Client* and *Account*, selects a client, and clicks *A/c Profile*. This option allows the user to maintain various accounts. The entire operation is divided into the *Accounts List* screen 484 and the *Account Details* screen 486. The user can view the entire list of accounts in *Accounts List* screen 484 in a tabular form only if the user is also a user manager. If not, the user is allowed to view only those accounts allocated to him or her. The details of a particular account can be seen in the *Account Details* screen 486. To create an account, custodian Ids, client Ids, account type Ids and user Ids corresponding to a particular fund manager must have been defined. To add or delete an account, the user must be a manager. If the user is not a manager, he or she can delete only those accounts allocated to him or her. The *Accounts List* screen 484 lists available accounts depending on whether the user is a manager or not. If the user is a manager, he or she can add new accounts or modify, view and delete existing accounts. If the user is not a manager, he or she can only view and modify those accounts that have been allocated to him or her.

Referring further to Figs. 41 and 42, to search for accounts, the user enters the first few characters of the secondary account Id and/or primary account Id of the account he or she is looking for and clicks *Search* 488. The user can enter the secondary account Id only after entering the primary account Ids. *Secondary Account ID* can accept positive numbers not exceeding four. The list displays only those accounts whose first few characters match the characters entered depending on whether the user is a manager or not. The user clicks *Clear* 490 to revert to the entire list for which he or she has permissions. The user must be a manager to add an account. The user selects a row from the list and clicks *Add* 492. This launches the *Account Details* screen 486 with the details of the selected account and with the key fields blank. The user enters the required details and clicks *OK* 494 or selects a blank row from the list by clicking *Clear* 490 and clicks *Add* 492. This launches the

Account Details screen 486 with all entry fields blank and with the list boxes containing values allocated to the user. The user enters the required details and clicks *OK* 494.

Referring further to Figs. 41 and 42, if the user is a manager he or she can
 5 modify all accounts. If not, however, the user is permitted to modify only those
 accounts for which he or she has the permissions. The user selects a row from the
 list and clicks *Modify* 496. This launches the *Account Details* screen 486 with the
 details of the selected account on which the key fields are not editable. The user
 modifies the required details and clicks *OK* 494. To delete an account, the user must
 10 be a manager. To delete the account, the user selects the desired account from the list
 and clicks *Delete* 498. The *Account Details* screen 486 is launched, and the user
 clicks on the *OK* button 494. A message box *Delete Details?* is displayed. The user
 clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her
 mind. To view details of an account, the user double clicks the desired row or selects
 15 the desired account from the list and clicks *View* 500/presses *Enter*. When the user
 clicks *OK* 494, the screen closes after saving account details. In the delete mode, the
 user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user
 clicks *Close* 502 after making modifications, he or she is offered choices to click *Yes*
 to exit after saving or to click *No* to exit without saving or to click *Cancel* to
 20 maintain the status quo.

Fig. 43 is a sample *Client Mapping* screen for an embodiment of the present
 invention. To invoke this option from *Administration* menu the user clicks *User*
Client Mapping. *User Client Mapping* 504 allows a user to assign clients to users.
 The user can map a client to a particular user. One or more clients can be assigned to
 25 a user. One client can be assigned to more than one user. As pre-requisites, the fund
 manager must be defined through the fund manager maintenance, the custodian bank
 Id must be defined through the custodian maintenance, the client Id must be defined
 through the client maintenance, and the user Id must be defined through the user
 maintenance. To map client to user, the user selects the user Id to which the clients
 30 are to be mapped from *Settings for User ID* 506. If the user wants to copy clients

mapped to another user, he or she selects the user Id whose client mappings are to be copied. The clients available and not mapped will be shown in the *Client Available* list 508, and the clients mapped will be shown in the *Client Mapped* list 510. The user adds or removes required client mapping and clicks *Save* 512 to save the details.

5 Referring to Fig. 43, the *Add* button 514 is enabled only when one or more records from the *Client Available* 508 are selected. On the click of the *Add* button 514, the selected records are moved from the *Client Available* list 508 to the corresponding *Client Mapped* list 510. A record can be selected by clicking on the record in the *Client Mapped* list 510. More than one record can be selected at a time
10 by pressing *Shift* key and clicking simultaneously. The *Remove* button 516 is enabled only when one or more records from the *Client Mapped* list 510 are selected. On the click of this button the selected records are moved from a *Client Selected* list to the corresponding *Client Available* list 508. A record can be selected by clicking on the record in the *Client Available* list 508. More than one record can be selected at a
15 time by pressing *Shift* key and clicking simultaneously. Clicking the *Save* button saves client user map details. Clicking the *Close* button 518 closes the screen, and if any changes have been made to the data, the user is prompted to save the data before closing the screen. The *Clear* button 520 clears all the data from the screen and allows the user to select another user Id.

20 Fig. 44 is a sample *Account Type List* screen and Fig. 45 is a sample *Account Type Details* screen for an embodiment of the present invention. To invoke this option from *Administration* menu, the user clicks *Account Type*. This option allows the user to maintain various account types. The entire operation is divided into the *Account Type List* screen 522 and the *Account Type Details* screen 524. The user can
25 view the entire list of account types in the *Account Type List* screen 522 in a tabular form. The details of a particular account type can be seen in the *Account Type Details* screen 524. There are no pre-requisites for adding a new account type, but for deleting an existing account type, it is necessary to delete all the entries in the account maintenance and match results view for the account type to be deleted. The

Account Type List screen 522 lists the available account types. The user can add a new account type or modify, view or delete an existing account type.

Referring to Figs. 44 and 45, to search on account types, the user enters one or more leftmost characters in the *Account Type Id* field 525 and clicks *Search* 526.

- 5 This displays the account types that match the entry, and the user clicks *Clear* 528 to revert to the entire list. To add a new account type, the user selects a record from the list and clicks *Add* 530. This launches the *Account Type Details* screen 524 with the details of the selected record on which the key fields are blank. The user enters the required details and clicks *OK* 532 or selects a blank record from the list by clicking
- 10 *Clear* 528 and clicks *Add* 530. This launches the *Account Type Details* screen 524 with all entry fields blank, and the user enters the required details and clicks *OK* 532. To modify an existing account type, the user selects a record from the list and clicks *Modify* 534. This launches the *Account Type Details* screen 524 with the details of the selected record on which the key fields are not editable. The user modifies the
- 15 required details and clicks *OK* 532.

- Referring further to Figs. 44 and 45, to delete a account type, the user selects the desired account type from the list and clicks *Delete* 536, and the *Account Type Details* screen 524 is launched. The user clicks on the *OK* button 532, and a message box *Delete Details?* is displayed. The user clicks *Yes* to confirm the deletion or
- 20 clicks *No* if he or she has changed his or her mind. To view details of an existing account type, the user double clicks the desired record or selects the desired account type from the list and clicks *View* 538/presses *Enter*. When the user clicks *OK* 532, the screen closes after saving account type details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks
- 25 *Close* 540 after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

- Fig. 46 is a sample *Match Group List* screen and Fig. 47 is a sample *Match Group Details* screen for an embodiment of the present invention. To invoke this
- 30 option from the *Administration* menu, the user clicks *Match Groups*. This option

will allows the user to maintain various match groups. The entire operation is divided into the *Match Group List* screen 542 and the *Match Group Details* screen 544. The user can view the entire list of match groups in *Match Group List* screen 542 in a tabular form. The details of a particular match group can be seen in the

5 *Match Group Details* screen 544. As pre-requisites, the fund manager must be defined through the fund manager maintenance, and the service type Id must be defined through the service maintenance. The *Match Group List* screen 542 lists the available match groups. The user can add new match groups or modify, view and delete existing match groups. The user can define the match group elements and

10 match group levels for a match group.

Referring to Figs. 46 and 47, to search on match groups, the user enters one or more characters in the *Match Group ID* field 546 or *Match Group Name* field 548 and clicks *Search* 550. This displays the match group that satisfies the entry, and the user clicks *Clear* 552 to revert to the entire list. To add a new match group, the user

15 selects a record from the list and clicks *Add* 554. This launches the *Match Group Details* screen 544 with the details of the selected record and the key fields blank. The user enters the required details and clicks *OK* 556 or selects a blank record from the list by clicking *Clear* 552 and clicks *Add* 554. This launches the *Match Group Details* screen 544 with all entry fields blank. The user enters the required details

20 and clicks *OK* 556. To modify an existing match group, the user selects a record from the list and clicks *Modify* 558. This will launches the *Match Group Details* screen 544 with the details of the selected record on which the key fields are not editable. The user modifies the required details and clicks *OK* 556.

Referring further to Figs. 46 and 47, to delete a match group, the user selects

25 the desired match group from the list and clicks *Delete* 560, and the *Match Group Details* screen 544 is launched. The user clicks on the *OK* button 556, and a message box *Delete Details?* is displayed. The user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing match group, the user double clicks the desired record or selects the desired match

30 group from the list and clicks *View* 562/presses *Enter*.

Referring again to Figs. 46 and 47, the user can specify match group elements details, such as match field for fund manager, match field for custodian bank and the like, for a particular match group. To maintain match group elements, the user selects the desired match group from the list and clicks *Elements* 564. The user can also specify match group level details, such as match group level number, security type Id and the like, for a particular match group. To maintain match group levels, the user selects the desired match group from the list and clicks *Levels* 566. When the user clicks *OK* 556 on the *Match Group Details* screen 544, the screen closes after saving match group details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 568 after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

Fig. 48 is a sample *Match Group Element List* screen and Fig. 49 is a sample *Match Group Element Details* screen for an embodiment of the present invention.

To invoke this option from the *Administration* menu, the user clicks *Match Groups*. The user selects a match group and clicks *Elements* 564. This option allows the user to maintain various match group elements. The entire operation is divided into the *Match Group Element List* screen 570 and the *Match Group Element Details* screen 572. The user can view the entire list of match group elements in the *Match Group Element List* screen 570 in a tabular form. The details of a particular match group element can be seen in the *Match Group Element Details* screen 572. As pre-requisites, The fund manager has to be defined through the fund manager maintenance, the custodian bank Id has to be defined through the custodian maintenance, the service type Id has to be defined through the service maintenance, and the match group Id has to be defined through the match group maintenance. The *Match Group Element List* screen 570 lists the available match group elements. The user can add new match group elements or modify, view and delete existing match group elements.

Referring to Figs. 48 and 49, to add a new match group element, the user selects a record from the list and clicks *Add* 574. This launches the *Match Group*

Element Details screen 572 with the details of the selected record on which the key fields are blank. The user enters the required details and clicks *OK* 576 or selects a blank record from the list by clicking *Clear* 578 and clicks *Add* 574. This launches the *Match Group Element Details* screen 572 with all entry fields blank. The user enters the required details and clicks *OK* 576. To modify an existing match group element, the user selects a record from the list and clicks *Modify* 580. This launches the *Match Group Element Details* screen 572 with the details of the selected record on which the key fields are not editable. The user modifies the required details and clicks *OK* 576.

- 10 Referring further to Figs. 48 and 49, to delete a match group element, the user selects the desired match group element from the list and clicks *Delete* 582. The *Match Group Element Details* screen 572 will be launched, and the user clicks on the *OK* button 576. A message box *Delete Details?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing match group element, the user double clicks the desired record or selects the desired match group element from the list and clicks *View* 584/presses *Enter*. When the user clicks *OK* 576 on the *Match Group Element Details* screen 572, the screen closes after saving match group element details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 586 after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

- 25 Fig. 50 is a sample *Match Group Level List* screen and Fig. 51 is a sample *Match Group Level Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user clicks *Match Groups*, selects a match group, and clicks *Levels*. This option allows the user to maintain various match group levels. The entire operation is divided into the *Match Group Level List* screen 588 and the *Match Group Level Details* screen 590. The user can view the entire list of match group levels in the *Match Group Level List* screen 588 in a tabular form. The details of a particular match group level can be seen in the *Match*
- 30

Group Level Details screen 590. As pre-requisites, the fund manager must be defined through the fund manager maintenance, the custodian bank Id must be defined through the custodian maintenance, the fund manager - custodian bank combination must be defined through the fund manager custodian maintenance, the service type Id must be defined through the service maintenance, and the fund manager service type combination must be defined through the fund manager services maintenance. As further pre-requisites, the custodian service type combination must be defined through the custodian services maintenance, the security type Id must be defined through the security type maintenance, the match group Id must be defined through the match group maintenance, and the match group elements must be defined through the match group elements maintenance. The *Match Group Level List* screen 588 lists the available match group levels. The user can add new match group levels or modify, view and delete existing match group levels.

Referring to Figs. 50 and 51, to add a new match group level, the user selects a record from the list and clicks *Add* 592. This launches the *Match Group Level Details* screen 590 with the details of the selected record on which the key fields are blank. The user enters the required details and clicks *OK* 594 or selects a blank record from the list by clicking *Clear* 596 and clicks *Add* 592. This launches the *Match Group Level Details* screen 590 with all entry fields blank, and the user enters the required details and clicks *OK* 594. To modify an existing match group level, the user selects a record from the list and clicks *Modify* 598. This launches the *Match Group Level Details* screen 590 with the details of the selected record on which the key fields are not editable. The user modifies the required details and clicks *OK* 594.

Referring further to Figs. 50 and 51, to delete a match group level, the user selects the desired match group level from the list and clicks *Delete* 600. The *Match Group Level Details* screen 590 is launched, and the user clicks on the *OK* button 594. A message box *Delete Details?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing match group level, the user double clicks the desired record or selects the

desired match group level from the list and clicks *View* 602/presses *Enter*. When the user clicks *OK* 594, the *Match Group Level Details* screen 590 closes after saving match group level details. In the delete mode, the user clicks *Yes* to confirm the deletion; otherwise he or she clicks *No*. When the user clicks *Close* 604 after making
 5 modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

Fig. 52 is a sample *Fund Manager Security Mapping List* screen and Fig. 53 is a sample *Fund Manager Security Mapping Details* screen for an embodiment of the present invention. To invoke this option from the *Administration* menu, the user
 10 clicks *Fund Manager Security Mapping*. Fund manager security mapping allows a user to maintain the records of the security mappings. The entire operation is divided into the *Fund Manager Security Mapping List* screen 604 and the *Fund Manager Security Mapping Details* screen 606. The user can view the entire list of security mappings in a tabular form through the *Fund Manager Security Mapping List* screen
 15 604. The details of a particular fund manager security mapping can be seen in the *Fund Manager Security Mapping Details* screen 606. As pre-requisites, the fund manager must be defined through the fund manager maintenance, the custodian bank Id must be defined through the custodian maintenance, and the fund manager custodian mapping maintenance should have an entry for the specific fund manager
 20 and custodian for whom the security mapping is to be defined. The *Fund Manager Security Mapping List* screen 604 lists the available fund manager security mapping. The user can add new or modify, view and delete existing fund manager security mapping.

Referring to Figs. 52 and 53, to add a new fund manager security mapping,
 25 the user selects a record from the list and clicks *Add* 608. This launches the *Fund Manager Security Mapping Details* screen 606 with the details of the selected record and the key fields blank. The user enters the required details and clicks *OK* 610 or selects a blank record from the list by clicking *Clear* 612 and clicks *Add* 608. This launches the *Fund Manager Security Map Details* screen 606 with all entry fields
 30 blank. The user enters the required details and clicks *OK* 610. To modify an existing

fund manager security map, the user selects a record from the list and clicks *Modify* 614. This launches *Fund Manager Security Mapping Details* screen 606 with the details of the selected record on which the key fields are not editable. The user modifies the required details and clicks *OK* 610.

- 5 Referring further to Figs. 52 and 53, to delete a fund manager security map, the user selects the desired fund manager security map from the list and clicks *Delete* 616. The *Fund Manager Security Map Details* screen 606 is launched, and the user clicks on the *OK* button 610. A message box *Delete Details?* is displayed, and the user clicks *Yes* to confirm the deletion or clicks *No* if he or she has changed his or her mind. To view details of an existing fund manager security map, the user double 10 clicks the desired record or selects the desired fund manager security map from the list and clicks *View* 618/presses *Enter*. When the user clicks *OK* 610 on the *Fund Manager Security Mapping Details* screen 606, the screen closes after saving fund manager security map details. In the delete mode, the user clicks *Yes* to confirm the 15 deletion; otherwise he or she clicks *No*. When the user clicks *Close* 620 after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

- Fig. 54 is a sample *Manager Unmatched Display Setup* screen for an embodiment of the present invention. To invoke this option from the *Setup* menu, 20 the user clicks *Manager Unmatched Display*. This option allows the user to select the fields to be displayed in the *UnMatched Result View for Fund Manager*. The order of display of these fields can also be specified through the *Fund Manager UnMatched Display Setup* screen 622 in a tabular form. As pre-requisites, the fund manager must be defined through the fund manager maintenance, the service type Id 25 must be defined through the service maintenance, the output field names must be defined through the fund manager import map maintenance. The *Manager UnMatched Display Setup* screen 622 lists the available fields. The user can select or deselect and also order the selected fields.

- Referring to Fig. 54, to select a service type Id, the user selects a service type 30 Id from the *Service Type ID* combo box 624. This displays the available/selected

fields for the selected service type Id. To select a field, the user selects a record from the *Available Fields* list 626 and clicks *Add* 628. This shifts the selected field to the *Selected Fields* List 630, and the user clicks *Save* 632. To deselect a field, the user selects a record from the *Selected Fields* list 630 and clicks *Remove* 634. This shifts
 5 the selected field to the *Available Fields* list 626, and the user clicks *Save* 632.

An embodiment of the present invention also includes a *Custodian Unmatched Display Setup* screen. To invoke this option from the *Setup* menu, the user clicks *Bank Unmatched Display*. This option allows the user to set up the fields he or she wants to view in the *Custodian Unmatched Display* screen. The user can
 10 set up the display characteristics in the *Custodian Unmatched Display Setup* screen. As pre-requisites, the custodian import mapping for the custodian Id and service type Id combination must be completed before the fields for display can be set up. Only those fields that have been mapped can be set up for display. The *Custodian Unmatched Display Setup* screen lists the available fields in a left listbox . A right
 15 listbox lists the selected fields for display. The user can add or remove the fields for display. The user can also define the order in which the fields are displayed. To get the current display setup for a custodian Id and service type Id, the user selects the desired custodian Id and then selects the service type Id for which the display setup is required. To add a new field for display, the user selects one or more records from a
 20 *Fields Available* listbox and clicks *Add*. The records shift to a *Fields Selected* listbox, and the user clicks OK.

To remove a field from display, the user selects one or more records from the *Selected Fields* listbox and clicks *Remove*. The records shift to the *Fields Available* listbox, and the user clicks *OK*. To set the field display order for the selected fields,
 25 the user selects the record from the *Fields Selected* listbox whose order needs to be changed, clicks an *Up* or *Down* arrow of a *Spin Control* to bring it to the required position, and clicks *OK*. When the user clicks *OK*, the changes are saved. The user can change the selection of custodian Id and service type Id and set up the display for a new combination of custodian Id and service type Id. When the user clicks *Clear*
 30 after making modifications, he or she is offered choices to click *Yes* to save the

changes, and the entry fields are cleared or to click *No* to clear the entry fields without saving any changes or to click *Cancel* to maintain the status quo. When the user clicks *Close* after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

An embodiment of the present invention also includes a *Matched Display Setup* screen. To invoke this option from the *Setup* menu, the user clicks *Matched Display*. This option allows the user to set up the fields he or she wants to view in a *Matched Results* screen. The user can set up the display characteristics in the *Matched Display Setup* screen. As pre-requisites, the fund manager - service type Id combination must be set up before the fields for display for a service, such as holdings or transactions can be set up. The user selects a service type Id for which he or she wants to set up the display of matched records. For every field that the user selects from the fund manager side, a corresponding field must also be selected from the custodian bank side. The available fields for fund manager and the custodian bank are displayed in a left list box. A right list box lists the selected fields for display. The user can add or remove the fields for display. The user can also define the order in which he or she wants the fields to be displayed. To get the current display setup for a service type Id, the user selects the service type Id for which the display setup is to be required.

Referring to the *Match Display Setup* screen for an embodiment of the present invention, to add a new field for display, the user selects one record each for the fund manager and the custodian bank side from the *Fields Available* list box and clicks *Add*. The selected records shift to the *Fields Selected* listbox. The fields selected from the fund manager and custodian bank side must be of the same datatype, such as a string for a string, a number for a number, or a date for a date. If the fields selected are not of the same datatype, an error message is displayed saying that unrelated fields cannot be selected. The user must select account type Id before he or she can save the record, and the user clicks *Save* to save the setting. To remove a field from display, the user selects one record from the *Selected Fields* listbox and clicks

Remove. The records shift to the *Fields Available* list box, and the user clicks *Save* to save the setting.

Referring again to the *Match Display Setup* screen, to set the field display order for the selected fields, the user selects the record from the *Fields Selected* listbox whose order needs to be changed, clicks the *Up* or *Down* arrow of the *Spin Control* to bring it to the required position, and clicks *Save* to save the setting. When the user clicks *Save*, the changes are saved. The user can change the selection of service type Id and set up the display for a new service type. When the user clicks *Clear* after making modifications, he or she is offered choices to click *Yes* to save the changes and the entry fields are cleared or to click *No* to clear the entry fields without saving any changes or to click *Cancel* to maintain the status quo. When the user clicks *Close* after making modifications, he or she is offered choices to click *Yes* to exit after saving or to click *No* to exit without saving or to click *Cancel* to maintain the status quo.

A Processing aspect of an embodiment of the present invention involves, for example, Scheduling, Importing Data, Matching and Archiving functionality. The application for an embodiment of the present invention has a scheduler which runs continuously in the background and checks for batch processes that need to be performed according to the scheduler setup previously discussed herein with reference to Figs. 37 and 38. The actions, such as import, match, import and match, and archival that are set up with scheduled or automatic mode through the scheduler setup are scheduled for processing at the appropriate times by the scheduler. For actions to be performed in automatic mode, the scheduler ensures that the setup actions are performed every n minutes where n is the schedule time system parameter. This system parameter can be changed through the *System Parameter* option in the *Administration* menu by the user. For actions to be performed in the scheduled mode, the scheduler ensures that the setup actions are performed according to the scheduled times setup through the scheduler setup.

The *Import Data* process for an embodiment of the present invention looks for appropriate data files for fund manager and custodian bank in the import directory

defined in the fund manager import mapping and custodian bank import mapping respectively. If a file is available, it is imported. After the file is successfully imported, the file is transferred to the archive directory as defined in the import mapping information. The application for an embodiment of the present invention provides for import of data, for example, by automatic mode, scheduled mode, and/or manual mode. If the mode in scheduler setup is automatic for import, the scheduler invokes the import process automatically for the fund manager and service type combinations, such as transactions or holdings. If the mode in scheduler setup is scheduled for import, the scheduler invokes the import process at the scheduled times for the fund manager and service type combination, such as transactions or holdings. If the mode in scheduler setup is manual for import, the import process has to be manually invoked for the fund manager and service type combination, such as transactions or holdings, by clicking *Now*.

The *Matching* process for an embodiment of the present invention runs a match on imported data based on the match option set in the scheduler setup for the action match or import and match. The match option can have values, such as unmatched data, new data, and all data. If the unmatched data match option is set, the match process considers only those records which have been processed but are unmatched, i.e., their match status is unmatched. In addition, if an unmatched record is approved or locked, it will not be considered by the match process. If the new data match option is set, the match process considers only those records which have been newly imported. In this case, processed and unmatched records are not considered for matching. If the all data match option is set, the match process will consider all records, such as newly imported, matched or unmatched, for matching provided they are not approved or locked.

The *Matching* process of the application for an embodiment of the present invention provides for matching of data, for example, by an automatic mode, a scheduled mode and a manual mode. If the mode in scheduler setup is automatic for match, the scheduler invokes the match process automatically for the fund manager and transactions or holdings service type combination. If the mode in scheduler

5 setup is scheduled for match, the scheduler invokes the match process at the scheduled times for the fund manager and transactions or holdings service type combination. If the mode in scheduler setup is manual for match, the match process has to be manually invoked for the fund manager and transactions or holdings service type combination by clicking *Now*.

10 The *Archival* process of the application for an embodiment of the present invention, provides archival, for example, through the automatic mode. The scheduler setup for each fund manager and one service must be set up for this. The archival process is then invoked by the scheduler for each fund manager for all services that involve reconciliation, such as transactions and holdings. Once imported, the number of days after which the records for a fund manager are archived depends on the value set for retain period in database for the fund manager in fund manager maintenance. If this value is set, for example, to 25, a record imported on 1st Jan 2000 will be archived on 26th Jan 2000. For manual archival, through the
15 *Match Results Summary* screen (Main Menu ->View -> Match Results -> Current Data), the user can select one or more records and click *Archive*. This will archive the records that form the summary record(s) selected. Through the *Match Results Summary* screen (Main Menu ->View -> Match Results -> Archive Data), the user can select one or more records and click *Unarchive*. This unarchives the records that
20 form the summary record(s) selected.

A *Match Results* aspect of an embodiment of the present invention provides procedure to view match results and perform various actions on the sets of data. The *Match Results* aspect involves, for example, functionality for *Matched Summary Display*, *Matched Details Display*, and *Unmatched Details Display*. Fig. 55 is a
25 sample *Matched Results Summary* screen for an embodiment of the present invention. To invoke the *Matched Summary Display* option from the *View* menu, the user clicks *Match Results* → *Current Data* or *Archive Data*. The *Matched Results Summary* screen 636 displays the matched summary of holdings or transactions for a particular fund manager, client, and value date combination. As a pre-requisite,

matching activity should process the records (holdings or transactions) at least once, i.e., records should have the value of their *RecordStatus* field set to “P” (Processed).

Referring to Fig. 55, on selecting the *Matched Summary Display* option from the menu, the *Matched Results Summary Screen* 636 is displayed. The user selects a date range for viewing the matched results summary. Below it a *Fund Manager* dropdown listbox 638 is displayed. A second dropdown listbox 640 showing a list of available *Services* is displayed next to the *Fund Manager* list box 638. If the user is parent fund manager, the *Fund Manager* listbox 638 is populated with a list of all fund managers under the parent fund manager. However, if the user belongs to a child fund manager, then the *Fund Manager* listbox 638 is disabled and the fund manager Id of the user is displayed. Valid actions on this screen include, for example, *Delete* 642, *Lock* 644, *Unlock* 646, *Match* 648, *Unmatch* 650, *Approve* 652, *Unapprove* 654, *Archive* 656, *Unarchive* 658, *Print* 660, *Sort*, and *Exit*. When the menu option chosen is *Current Data*, all the above actions except *Unarchive* 658 are available. When the menu option chosen is *Archive* 656, the actions available are *Unarchive* 658, *Print* 660, *Sort*, and *Exit*.

Referring further to Fig. 55, the *Delete* action 642 permits the user to delete selected record(s) from the matched results summary grid. The user selects a record by clicking on the first fixed column to the left of the grid. This highlights the entire summary record. On clicking the *Delete* button 642 a dialog box with check boxes is displayed. The user checks on either a *Fund Manager* and/or a *Custodian* check box. On clicking an *OK* button, the corresponding records are deleted. If the *Fund Manager* check box is selected then the fund manager's records are deleted. If the *Custodian* check box is selected, then the custodian records are selected. If both *Fund Manager* and *Custodian* check boxes are selected then the corresponding records for both the fund manager and the custodian are deleted.

Referring again to Fig. 55, the *Lock* action 644 permits the user to lock selected record(s) from the matched results summary grid. The user selects a record by clicking on the first fixed column to the left of the grid. This highlights the entire summary record. To select multiple records, the user holds the mouse key down on

the first fixed column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records are highlighted. On clicking the *Lock* button 644, all the underlying records, both for the fund manager and the custodian, are locked. Once locked, no further changes are permitted, unless the record(s) are unlocked. However, the *Delete* action 642 is permitted on locked records. The *Unlock* action 646 permits the user to unlock selected record(s) from the matched results summary grid. The user selects a record by clicking on the first fixed column to the left of the grid. This highlights the entire summary record. To select multiple records, the user holds the mouse key down on the first fixed column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records are highlighted. On clicking the *Unlock* button 646, all the underlying records, both for the fund manager and the custodian, are unlocked.

Referring again to Fig. 55, the *Manual Match* action 648 permits the user to execute a forced match on selected summary record(s). The user selects a record by clicking on the first fixed column to the left of the grid. To select multiple records, the user holds the mouse key down on the first fixed column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records are highlighted. On clicking the *Match* button 648, all the underlying records, both for the fund manager and the custodian, are marked as matched. The *Manual Unmatch* action 646 permits the user to execute a forced unmatch on selected summary record(s). The user selects a record by clicking on the first fixed column to the left of the grid. To select multiple records, the user holds the mouse key down on the first fixed column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records are highlighted. On clicking the *Unmatch* button 650, all the underlying records, both for the fund manager and the custodian, are marked as unmatched.

Referring once again to Fig. 55, the *Manual Approve* 652 action permits the user to approve selected summary record(s). The user selects a record by clicking on the first fixed column to the left of the grid. To select multiple records, the user holds the mouse key down on the first fixed column to the left of the grid and drags it

vertically. As the user scrolls down, the corresponding summary records will be highlighted. On clicking the *Approve* button 652, all the underlying records, both for the fund manager and the custodian, are marked as approved. Once approved, no further changes are permitted unless the record(s) are unapproved. The *Manual*

- 5 *Unapprove* action 654 permits the user to unapprove selected summary record(s). The user selects a record by clicking on the first fixed column to the left of the grid. To select multiple records, the user holds the mouse key down on the first fixed column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records are highlighted. On clicking the *Unapprove* button
- 10 654, all the underlying records, both for the fund manager and the custodian, are marked as unapproved.

Referring once more to Fig. 55, the *Manual Archive* action 656 permits the user to archive selected summary record(s). Archived records are removed from the live or current tables and copied on to the corresponding archive tables. The user

- 15 selects a record by clicking on the first fixed column to the left of the grid. To select multiple records, the user holds the mouse key down on the first fixed column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records are highlighted. On clicking the *Archive* button 656, all the underlying records, both for the fund manager and the custodian, are removed from
- 20 the live or current tables and copied to the corresponding archive tables. The *Manual Unarchive* action 658 permits the user to unarchive previously archived record(s). This option is enabled only when the data is retrieved from the archived database. The user selects a record by clicking on the first fixed column to the left of the grid. To select multiple records, the user holds the mouse key down on the first fixed
- 25 column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records are highlighted. On clicking the *Unarchive* button 658, all the underlying records, both for the fund manager and the custodian, are removed from the archive tables and copied to the corresponding live or current tables. The *View Details* action permits the user to display the values of all the fields
- 30 in the original record.

Referring again to Fig. 55, the *Print* action 660 permits the user to print selected records from the grid. The user selects a record by clicking on the first fixed column to the left of the grid (on the gray area). To select multiple records, the user holds the mouse key down on the first fixed column to the left of the grid and drags it vertically. As the user scrolls down, the corresponding summary records will be highlighted. On clicking the *Print* button 660, the selected records are printed to the default printer. The *Exit* action permits the user to exit from the *Matched Details Display Summary* screen 636.

Figs. 56 and 57 are sample *Matched Details Display* screens 662, 664 for an embodiment of the present invention. To invoke the *Matched Details Display* option from the *View* menu, the user clicks *Match Results Current Data*, selects a summary record, and double clicks or presses *Enter*. The *Matched Details Display* screen 662, 664 displays the matched details (holdings or transactions) for a particular fund manager, client, and value date combination. The screen is invoked from the *Matched Results Summary* screen 636. The user highlights and selects a summary record, and on double clicking or pressing the *Enter* key, all the underlying records for the summary screen 636 are displayed. As pre-requisites, matched results view for the fund manager should be set up and matching activity should process the records (holdings or transactions) at least once, i.e., the records should have the value of their *RecordStatus* field set to "P" (Processed),

Referring to Figs. 56 and 57, on selecting a summary record, the detailed matched results for the fund manager-service combination for the date range selected in the summary screen is displayed. Valid actions on this screen include, for example, *Comments* 666, *Unmatch* 668, *View Details* 670, *Print* 672, and *Exit* 676. All automatically matched records have a pre-defined matched comment attached to them. The *Comments* action 666 permits users to manually add or edit the contents of this matched comment. In case of manually matched records, the matched comments field is blank. The user can also enter a matched comment for all such manually matched records. As soon as the matched comment is saved, all records

with the same matched reference number are tagged with the same matched comment.

Referring to Figs. 56 and 57, on performing the *Unmatch* action 668, records previously matched, automatically, or manually are marked as unmatched. All such
 5 unmatched records are taken up for matching when the matching process is subsequently executed. In order to unmatch a set of matched records it is mandatory to select all records with the same match reference number. Locked and/or approved records are not available for manual unmatch. The *View Details* action 670 permits the user to display a dump of the values of the fields in the original record. Changes
 10 to the original record are not permitted on this screen. The *Print* action 672 permits the user to print selected records from the grid. The *Exit* action 676 permits the user to exit from the *Matched Results Details* display screen 662, 664.

Figs. 58 and 59 are sample *Unmatched Details Display* screens for an embodiment of the present invention. To invoke the *Unmatched Details Display*
 15 option from the *View* menu, the user clicks *Match Results Current Data*, selects a summary record, and double clicks or presses *Enter*. The *Unmatched Details Display* screen 678, 680 displays the unmatched details (holdings or transactions) for a particular fund manager, client, and value date combination. The screen is invoked from the *Matched Results Summary* screen 636. The user highlights and selects a
 20 summary record. On double clicking or pressing the *Enter* key, all the underlying records for the *Summary* screen 636 are displayed, and all unmatched records are displayed in a separate window. As pre-requisites, matched results view for the fund manager should be setup, unmatched results view for the fund manager and the custodian bank should be setup, and matching activity should process the records
 25 (holdings or transactions) at least once, i.e., records should have the value of their *RecordStatus* field set to "P" (Processed).

Referring to Figs. 58 and 59, on selecting a summary record, two screens are displayed; namely the *Detailed Matched* results 662, 664 for the fund manager-service combination for the date range, and the *Detailed Unmatched* fund manager
 30 and custodian screen 678, 680. Valid actions on this screen include, for example,

Match 682, *CB Comments* 684, *FM Comments* 686, *View Details* 688, *Print* 690, *Help* 692, and *Exit* 694. The *Match* option 682 is used to manually match all unmatched records that have failed to match during the automatic matching process. On performing this action the selected record(s) is marked as "matched". In order to

5 match a set of unmatched records, it is mandatory to select records from both the fund manager's side and the custodian's side. Locked and/or approved records are not available for manual match.

Referring further to Figs. 58 and 59, the *CB Comments* option 684 is used to attach manual comments to unmatched custodian bank record(s). In order to attach a

10 comment to the custodian bank record(s), the user selects a custodian record and clicks on the *CB Comments* button 684. The user enters the comments in the *Comments* dialog box and clicks on the *OK* button to save the comments to the custodian record. The *FM Comments* option 686 is used to attach manual comments to unmatched fund manager record(s). In order to attach a comment to the fund

15 manager record(s), the user selects a fund manager record and clicks on the *FM Comments* button 686. The user enters the comments in the *Comments* dialog box and clicks on the *OK* button to save the comments to the fund manager record.

Referring again to Figs. 58 and 59, the *View Details* action 688 permits the user to display a dump of the values of the fields in the original record. Changes to

20 the original record are not permitted on this screen. The *Print* action 690 permits the user to print selected records from the grid. On pressing the *Help* button 692, a help screen is displayed with a brief note on the unmatched fund manager details grid, unmatched custodian bank details, and the actions performed by the various action buttons. The *Exit* action 694 permits the user to exit from the *Matched Results*

25 *Details* display screen 678, 680.

A *Query* aspect of an embodiment of the present invention involves, for example, *Audit Log Query* and *Activity Log Query* functionality. Fig. 60 is a sample *Audit Log Query* screen 696 for an embodiment of the present invention. To invoke the audit log query option from the *Query* menu, the user clicks *Audit Log*. An audit

30 log is maintained by the system application for each change made to the master data.

That is, details of any data added, deleted or modified is logged. The *Audit Log Query* allows the user to query the log based on options, such as user name, table name and all. The *Audit Log Query* screen 696 is invoked from the *Audit Log* sub-menu of the *Query* menu on the application. When the screen opens, an *All* option is shown selected and all the records are displayed. The user can now decide to select any one of the other *Filter By* options 698.

Referring to Fig. 60, selecting the *Filter By User Name* 700 enables the user name filter clause. The other filter clauses remain disabled. The user can then select the user name from the *User Name* dropdown listbox 702 for whom he or she wants to query the audit log. Clicking the *View* button 704 displays the output. Selecting the *Filter By Table Name* option 706 enables the table name and the key code filter clauses. The user name clause is rendered disabled. The user can then select the table name from the drop-down for which he or she wants to query the audit log. The user can also type in part or the whole of the key code for the table selected to constrict the search criteria for the query. Clicking the *View* button 704 displays the output. Clicking on a *Filter By All* option disables all the filter options and populates the *Audit Details* display 708 with all the records. The *Clear* button 710 enables the user to select a new *Filter By* option 698. Clicking the *Clear* button 710 clears the *Audit Details* display 708, deselects any prior *Filter By* options 698, disables the *Filter* option clauses 712 and waits for the user to select a *Filter By* option 698. The user can now select any of the *Filter By* options 698 and view the details. To exit from the screen, clicking the *Close* button 714 closes the screen.

Fig. 61 is a sample *Activity Log Query* screen for an embodiment of the present invention. To invoke the *Activity Log Query* option from the *Query* menu, the user clicks *Activity Log*. An activity log is maintained by the system application for each change made to the master data. That is, details of any activities done on the records in the database. The *Activity Log Query* allows the user to query the log depending on the date range, the fund manager Id and the type of activity. The *Activity Log Query* screen 716 is invoked from the *Activity Log* sub-menu of the *Query* menu on the application. To select a date (either *Period From* 718 or *Period*

Referring to Fig. 61. if the user belongs to a fund manager , the Id for the particular fund manager is displayed in the *Fund Manager Id* box 726. If the user is a system administrator or user, he or she can select one from the list of available fund managers displayed in the drop-down list box 726. Clicking on the *Activity Types* dropdown listbox 728 displays all the activity types that are entered for the various operations carried out on the database. Among all the options is an *All* clause which refers to all the activities. After selecting the criteria for display, clicking the *View* button 730 displays the details based on the criteria selected. Other functionalities include, for example, print and sort functionalities. Clicking the *Print* button 732 prints the entire contents of the grid in a landscape mode. Clicking on any column heading for the grid sorts the contents of the grid on that column. To exit from the screen, clicking the *Close* button 734 closes the screen.

Referring to Figs. 62 and 63, the *Accounts List by Client* screen 736, 738 lists available client Ids specific to the user's fund manager Id. To select one or more client Ids, the user clicks on the client Ids in the listbox 740. To select all the client

Ids, the user presses a *Select All* button. To unselect the client Ids, the user clicks the *Unselect All* button 742 that appears in the place of the *Select All* button. For each client Id and name, the report displays the *Primary Account Id* 744, *Account Type Id* 746, *Account Name* 748, *Custodian Id* 750, *Custodian Name*, *BIC* and *Base Currency* 5 *Sorted by Account*. The user may save to a file, view or print the report.

Referring to Figs. 62 and 63, to view the report, the user selects at least one client Id, selects the *View* option 752, and clicks the *Report* button 754. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user selects at least 10 one client Id, selects the *Print* option 756, and clicks the *Report* button 754. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user selects at least one client Id, selects the *Save* option 758, and clicks the *Report* button 754. The report saves records in they exist; otherwise a message stating that records for 15 the specified parameters were not found is displayed. The user is prompted while trying to write over existing files.

To invoke the *Activity Log Report* option from the *Reports* menu, the user clicks *Activity Log*. Figs. 64 and 65 are sample *Activity Log Report* screens for an embodiment of the present invention. This option allows the user to report various 20 activity logs for one or more activity type Ids and fund manager Ids for a specified date range. An activity log is maintained by the system application to track the initiation and completion and in-process status for a number of activities, such as import-automatic, import-manual, match-automatic, match-manual, unmatch-manual, delete-manual, approve-manual, unapprove-manual, lock-manual, unlock-manual, 25 archive-automatic, archive-manual, and unarchive-manual. To select a date (either *Period From* 760 or *Period To* 762) the user clicks on an arrow in the dropdown box and a calendar is shown. The user chooses the desired month and/or year, as well as a date, because unless a date is selected, the desired date is not shown in the dropdown box. The date in the *Period From* box 760 must not be later than the date 30 in the *Period To* box 762.

Referring to Figs. 64 and 65, the *Activity Log Report* screen 756, 758 lists available fund manager Ids and their names. To select one or more fund manager Ids, the user clicks on the fund manager Ids in the list box 764. To select all of the fund manager Ids, the user presses a *Select All* button. To unselect the fund manager Ids, the user clicks the *Unselect All* button 766 that appears in the place of the *Select All* button. The *Activity Log Report* screen 756, 758 also lists all available activity types. To select one or more activity types, the user clicks on the *Activity Types* in the list box 768. To select all the activity types, the user presses a *Select All* button. To unselect the activity types, the user clicks the *Unselect All* button 770 that appears in the place of the *Select All* button. The user can save to a file, view or print the report. The report displays the list of activity logs grouped by fund manager Ids and sorted by activity type Id and activity date and time.

Referring further to Figs. 756, 758, to view the report, the user selects at least one activity type and fund manager Id, selects the *View* option 772, and clicks the *Report* button 774. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user selects at least one activity type and fund manager Id, selects the print option, and clicks the *Report* button 774. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user selects at least one activity type and fund manager Id, selects the *Save* option 776, and clicks the *Report* button 774. The report saves records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. The user is prompted while trying to write over existing files.

Figs. 66 and 67 are sample *Audit Log Report* screens for an embodiment of the present invention. To invoke the *Audit Log Report* option from *Reports* menu, the user clicks *Audit Log*. This option allows the user report audit logs for a specified date range and one or more specified audit types. An audit log is maintained by the system application for each change made to the master data. That is, any data added, deleted or modified is logged. To specify a date range, the user selects a date(either

Period From 782 or *Period To* 784) and clicks on the arrow in the drop down box 782, 784. A calendar is shown, and the user chooses the desired month and/or year, as well as a date, because unless a date is selected, the desired date is not shown in the drop down box. The date in the *Period From* box 782 must not be later than the date in the *Period To* box 784. The *Audit Log Report* screen 778, 780 lists all available audit types. To select one or more audit types, the user clicks on the *Audit Types* in the listbox 786. To select all the audit types, the user presses a *Select All* button. To unselect the audit types, the user clicks the *Unselect All* button 788 that appears in the place of the *Select All* button. The user may save to a file, view, or print the report. The report displays the list of audit logs sorted by audit date and time.

Referring to Figs. 778 and 780, to view the report, the user selects a date range, selects at least one audit type, selects the *View* option 790, and clicks the *Report* button 792. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user selects a date range, selects at least one audit type, selects the *Print* option 794, and clicks the *Report* button 792. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user selects a date range, selects at least one audit type, selects the *Save* option 796, and clicks the *Report* button 792. The report saves records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. The user is prompted while trying to write over existing files.

Figs. 68 and 69 are sample *Error Log Report* screens for an embodiment of the present invention. The *Error Log Report* option allows the user to report errors that are logged by the system application for a specified fund manager and date range. The errors are logged by the application whenever errors are encountered during any of the processes, such as reconciliation, import of data, archival and the like. To specify a date range, the user selects a date (either *Period From* 802 or *Period To* 804) and clicks on the arrow in the dropdown box 802, 804. A calendar is

5 The user may choose only one of these fund manager Ids by clicking the arrow in the drop down box enclosed in the frame named *Fund Manager Ids* 806. The user may save to a file, view, or print the report. For the specified fund manager and date range, the report displays the error date, error severity, user Id and error description, sorted by error date and time.

To invoke the *Percentage Matched by Custodian and Client* option from the *Reports* menu, the user clicks *Percentage Matched By Custodian and Client*. Figs. 70 and 71 are sample *Percentage Matched by Custodian and Client Report* screens for an embodiment of the present invention. This option allows the user to report the percentage of matched records vis-à-vis the total number of records for fund manager as well as custodian bank for a specified service type, such as transactions or holdings and for a specified date range. To specify date range, the user selects a date (either *Period From* 818 or *Period To* 820) and clicks on the arrow in the dropdown box 818, 829. A calendar is shown, and the user chooses the desired

month and/or year, as well as a date, because unless a date is selected, the desired date is not shown in the drop down box. The date in the *Period From* box 818 must not be later than the date in the *Period To* box 820. To select a service type, the *Percentage Matched By Custodian and Client* screen 70, 71 retrieves a list of service type Ids. The user may choose only one of these service type Ids by clicking the arrow in the drop down box enclosed in the frame named *Service Type Ids* 822. The user may save to a file, view, or print the report. The report displays a list that is sorted by client within custodian bank. For each custodian and client, the report shows the total number of records for fund manager, the percentage matched records for fund manager, the total number of records for custodian bank, and the percentage matched records for custodian bank. The fund manager average and custodian bank average of percentage matched records is shown for each custodian bank.

Referring to Figs. 70 and 71, to view the report, the user specifies a date range, selects a service type Id, selects the *View* option 824, and clicks the *Report* button 826. The report shows records if they exist on the screen; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user specifies date range, selects a service type Id, selects the *Print* option 828, and clicks the *Report* button 826. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user specifies a date range, selects a service type Id, selects the *Save* option 830, and clicks the *Report* button 826. The report saves records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. The user is prompted while trying to write over existing files.

To invoke the *Matched Holdings by Client Report* option from the *Reports* menu, the user clicks *Matched Holdings By Client*. Figs. 72 and 73 are sample *Matched Holdings by Client Report* screens for an embodiment of the present invention. This option allows you to report matched holdings for one or more client IDs for a specified date range. To specify a date range, the user selects a date (either *Period From* 836 or *Period To* 838) and clicks on the arrow in the dropdown box

836, 838. A calendar is shown, and the user chooses the desired month and/or year, as well as a date, because unless a date is selected, the desired date is not shown in the drop down box. The date in the *Period From* box 836 must not be later than the date in the *Period To* box 838. The *Matched Holdings by Client Report* screen 832, 834 lists available client Ids and their names. To select one or more client Ids, the user clicks on the *Client Ids* in the listbox 840. To select all of the client Ids, the user presses a *Select All* button. To unselect the client Ids, the user clicks the *Unselect All* button 842 that appears in the place of the *Select All* button. The user may save to a file, view, or print the report. The report displays the list of matched holdings grouped by client Ids and sorted by value date, account Id and security Id. The records belonging to custodian banks are shown in gray background.

Referring to Figs. 72 and 73, to view the report, the user selects at least one client Id, selects the *View* option 844, and clicks the *Report* button 846. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user selects at least one client Id, selects the *Print* option 848, and clicks the *Report* button 846. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user selects at least one client Id, selects the *Save* option 850, and clicks the *Report* button 846. The report saves records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. The user is prompted while trying to write over existing files.

To invoke the *Matched Transactions by Client Report* option from the *Reports* menu, the user clicks *Matched Transactions By Client*. Figs. 74 and 75 are sample *Matched Transactions by Client Report* screens for an embodiment of the present invention. This option allows the user to report matched transactions for one or more client Ids for a specified date range. To specify a date range, the user selects a date (either *Period From* 856 or *Period To* 858) and clicks on the arrow in the dropdown box 856, 858. A calendar is shown, and the user chooses the desired month and/or year, as well as a date, because unless a date is selected, the desired

date is not shown in the drop down box. The date in the *Period From* box 856 must not be later than the date in the *Period To* box 858. The screen lists available client Ids and their names. To select one or more client Ids, the user clicks on the client Ids in the list box. To select all of the client Ids, the user presses a *Select All* button. To
 5 unselect the client Ids, the user clicks the *Unselect All* button 860 that appears in the place of the *Select All* button. The user may save to a file, view, or print the report. The report displays the list of matched transactions grouped by client Ids and sorted by statement date, transaction reference, primary account Id and primary security Id. The records belonging to custodian banks are shown in gray background.

10 Referring to Figs. 74 and 75, to view the report, the user selects at least one client Id, selects the view option, and clicks the *Report* button 862. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user selects at least one client Id, selects the *Print* option 864, and clicks the *Report* button 862. The
 15 report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user selects at least one client Id, selects the *Save* option 866, and clicks the *Report* button 862. The report saves records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. The user is prompted while trying
 20 to write over existing files.

To invoke the *Unmatched Holdings by Client Report* option from the *Reports* menu, the user clicks *Unmatched Holdings by Client*. Figs. 76 and 77 are sample *Unmatched Holdings by Client Report* screens for an embodiment of the present invention. This option allows the user to report unmatched holdings for one or more
 25 client Ids for a specified date range. To specify a date range, the user selects a date (either *Period From* 872 or *Period To* 874) and clicks on the arrow in the dropdown box 872, 874. A calendar is shown, and the user chooses the desired month and/or year, as well as a date, because unless a date is selected, the desired date is not shown in the dropdown box. The date in the *Period From* box 872 must not be later than
 30 the date in the *Period To* box 874. The screen lists available client Ids and their

names. To select one or more client Ids, the user clicks on the client Ids in the list box. To select all of the client Ids, the user presses a *Select All* button. To unselect the client Ids, the user clicks the *Unselect All* button 876 that appears in the place of the *Select All* button. The user may save to a file, view, or print the report. The report displays the list of unmatched holdings grouped by client Ids and sorted by value date, account Id, and security Id. The user can specify for whom the report is to be generated, such as a fund manager, a custodian bank, or both. The records belonging to custodian banks are shown in gray background if the report is generated for both.

- 10 Referring to Figs. 76 and 77, to view the report, the user selects at least one client Id, selects the *View* option 878, and clicks the *Report* button 880. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user selects at least one client Id, selects the *Print* option 882, and clicks the *Report* button 880. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user selects at least one client Id, selects the *Save* option 884, and clicks the *Report* button 880. The report saves records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. The user is prompted while trying to write over existing files.

- 20 To invoke the *Unmatched Transactions by Client Report* option from the *Reports* menu, the user clicks *Unmatched Transactions by Client*. Figs. 78 and 79 are sample *Unmatched Transactions by Client Report* screens for an embodiment of the present invention. This option allows the user to report unmatched transactions for one or more client Ids for a specified date range. To specify a date range, the user selects a date (either *Period From* 900 or *Period To* 902) and clicks on the arrow in the dropdown box 900, 902. A calendar is shown, and the user chooses the desired month and/or year, as well as a date, because unless a date is selected, the desired date is not shown in the dropdown box. The date in the *Period From* box 900 must not be later than the date in the *Period To* box 902. The screen lists available client

Ids and their names. To select one or more client Ids, the user clicks on the client Ids in the list box. To select all the client Ids, the user presses a *Select All* button. To unselect the client Ids, the user clicks the *Unselect All* button 904 that appears in the place of the *Select All* button. The user may save to a file, view, or print the report.

- 5 The report displays the list of unmatched transactions grouped by client Ids and sorted by settlement date, transaction reference, account Id, and security Id. The user can specify for whom the report is to be generated, such as a fund manager, a custodian bank, or both. The records belonging to custodian banks are shown in gray background if the report is generated for both.

- 10 Referring to Figs. 78 and 79, to view the report, the user selects at least one client Id and clicks the *View* button 906. The report shows records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. To print the report, the user selects at least one client Id, selects the *Print* option 908, and clicks the *Report* button 910. The report shows records if they
- 15 exist; otherwise a message stating that records for the specified parameters were not found is displayed. To save the report, the user selects at least one client Id, selects the *Save* option 912, and clicks the *Report* button 910. The report saves records if they exist; otherwise a message stating that records for the specified parameters were not found is displayed. The user is prompted while trying to write over existing files.

- 20 System maintenance facilities for an embodiment of the present invention includes aspects, such as *Data Archival*, *Scheduler Setup*, and *Backup and Purging*, so as to sustain good performance. For example, the archival of transactions and holdings records of each fund manager depends on the number of days specified against *Retain Period In Database* in *Fund Manager Profile*. The number of records
- 25 held in the database for transactions and holdings from fund manager and custodian depends on the value of this field. If it is, for example, 25 days, then once records for transactions and holdings are imported, they remain in the database for 25 days. In effect, data pertaining to 25 days will remain in database at any given time. This field is typically set up for only what is actually required, and after the requisite
- 30 number of days, the records are automatically moved to the *Archive* tables. Having

With regard to *Scheduler Setup* for an embodiment of the present invention, the system parameter *Schedule Time* determines the time interval after which the scheduler initiates batch processes for import, match, import and match, and archival. This parameter is likewise typically set up as per actual requirements. If this parameter is set up to be too small, such as 5 minutes, then the system becomes overburdened with batch processes initiated every 5 minutes. Ideally, import and match processes should be set up with the scheduled mode, and these processes for different fund managers can be spaced out so as to reduce the burden on the system.

Fig. 80 is a sample *Profile Setup* screen for an embodiment, of the present invention. The system embodies the *Profile Setup* capabilities of the present invention in Fig. 80. The *Profile Setup* permits the user to specifically describe automated actions, *Profile Type* 918 (*Match, Import, Export*) that the user wishes executed against which *Services* 920 information, and for which *Custodian Bank's* 922 *Clients* 924 across an absolute or relative *Date Range* 926. The *Profile* can be stored by *Profile Name* 928 and reused on an ad-hoc basis or through the *Systems Scheduler* illustrated in Fig. 37.

user can select the relative dates and ranges in which the user wishes to show the data on Fig. 80b. The resulting report is represented by Fig. 81.

Figs. 82 and 83 are sample *Custodian Cash Report* screens for an embodiment of the present invention. This feature of the invention provides a report to users of the *Custodian Cash* records as they are reported directly from the bank. Fig. 82 is the report request specification form. Users select the *Clients* 938 upon which to report, whether to report to the *Screen, Printer or File* 940, and then to show the summary balance records or *Detail* 942. Fig. 83 is an example of the *Detail Report*.

Various preferred embodiments of the invention have been described in fulfillment of the various objects of the invention. It should be recognized that these embodiments are merely illustrative of the principles of the present invention. Numerous modifications and adaptations thereof will be readily apparent to those skilled in the art without departing from the spirit and scope of the present invention.

Accordingly, the invention is only limited by the following claims.

What is claimed is:

1. A method for reconciliation of account records, comprising:
receiving first and second account records;
5 automatically comparing the account records according to predefined
matching rules to identify one of matched and unmatched first and second account
records; and
if unmatched account records are identified in the comparison, allowing a
manual match of the unmatched account records;
- 10 2. The method of claim 1, wherein receiving the account records further
comprises receiving the first and second account records for one of a position and a
transaction.
3. The method of claim 2, wherein receiving the account records for the position
further comprises receiving the first and second account records for one of a
15 securities position and a cash position.
4. The method of claim 2, wherein receiving the account records for the
transaction further comprises receiving the first and second account records for one
of a securities transaction and cash transaction.
5. The method of claim 1, wherein receiving the account records further
20 comprises receiving the first account record from one of a fund manager and a
custodian and receiving the second account record from the other of the fund
manager and the custodian.
6. The method of claim 5, wherein receiving the account record from the fund
manager further comprises receiving the account record electronically from an
25 internal portfolio tracking system of the fund manager.
7. The method of claim 5, wherein receiving the account record from the
custodian further comprises receiving the account record electronically via an
interface to a custody network of the custodian.

8. The method of claim 7, wherein receiving the account record electronically via the interface to the custody network of the custodian further comprises receiving the account record electronically via a proprietary financial network.
9. The method of claim 1, wherein receiving the account records further
5 comprises receiving the account records by a database.
10. The method of claim 9, wherein receiving the account records by the database further comprises receiving the account records by a service bureau database.
11. The method of claim 1, wherein automatically comparing the account records further comprises uploading the account records to a database.
- 10 12. The method of claim 11, wherein uploading the account records further comprises formatting the account records.
13. The method of claim 12, wherein uploading the account records further comprises parsing the account records.
14. The method of claim 13, wherein uploading the account records further
15 comprises validating the account records.
15. The method of claim 11, wherein uploading the account records further comprises uploading the account records according to a predefined schedule.
16. The method of claim 1, wherein automatically comparing the account records further comprises predefining the matching rules.
- 20 17. The method of claim 16, wherein predefining the matching rules further comprises predefining available match groups for a fund manager and a custodian.
18. The method of claim 16, wherein predefining the matching rules further comprises predefining the matching rules for the account records for at least one of a position and a transaction.
- 25 19. The method of claim 18, wherein predefining the matching rules further comprises predefining substantially similar matching rules for the account records for the position and transaction.
20. The method of claim 18, wherein predefining the matching rules further comprises predefining different matching rules for the account records for the
30 position and transaction.

21. The method of claim 16, wherein predefining the matching rules further comprises predefining matching criteria in terms of a tolerance in at least one of percentage terms and nominal terms.
22. The method of claim 16, wherein predefining the matching rules further
5 comprises predefining the matching rules for at least one item of account data selected from a group of account data items consisting of account number, security identification, units, unit cost, total cost, unit price, and total market value.
23. The method of claim 16, wherein predefining the matching rules further comprises predefining the matching rules in terms of levels of match success.
- 10 24. The method of claim 1, wherein automatically comparing the account records further comprises generating a report of the comparison.
25. The method of claim 24, wherein generating the report further comprises displaying the report for a user.
26. The method of claim 24, wherein generating the report further comprises
15 allowing a user to download the report in a file.
27. The method of claim 1, wherein allowing the manual match further comprises generating a report of the comparison identifying the unmatched account records.
28. The method of claim 27, wherein generating the report further comprises generating an historical report of the comparison.
- 20 29. The method of claim 27, wherein generating the report further comprises displaying the report for a user.
30. The method of claim 29, wherein displaying the report further comprises displaying the unmatched first and second account records simultaneously for the user on a consolidated screen.
- 25 31. The method of claim 29, wherein displaying the report further comprises prompting the user for entry of the manual match.
32. The method of claim 1, wherein allowing the manual match further comprises identifying a reason for the manual match.
33. The method of claim 32, wherein identifying the reason further comprises
30 storing a record of the reason for the manual match.

34. The method of claim 33, wherein storing the record further comprises allowing a retrieval of the record of the reason for the manual match.
35. A system for reconciliation of account records, comprising:
means for receiving first and second account records;
5 means for automatically comparing the received account records according to predefined matching rules to identify one of matched and unmatched first and second account records; and
if unmatched account records are identified in the comparison, means for allowing a manual match of the unmatched account records.
- 10 36. The system of claim 35, wherein the means for receiving the account records further comprises means for receiving the first account records from one of a fund manager and a custodian and means for receiving the second account records from the other of the fund manager and the custodian.
37. The system of claim 36, wherein the means for receiving the account records
15 from the fund manager further comprises means for receiving the account records electronically from an internal portfolio tracking system of the fund manager.
38. The system of claim 36, wherein the means for receiving the account records from the custodian further comprises means for receiving the account records electronically via an interface to a custody network of the custodian.
- 20 39. The system of claim 38, wherein the means for receiving the account records electronically via the interface to the custody network of the custodian further comprises means for receiving the account records electronically via a proprietary financial network.
40. The system of claim 35, wherein the means for receiving the account records
25 further comprises a database.
41. The system of claim 40, wherein the means for receiving the account records further comprises a service bureau database.
42. The system of claim 1, wherein the means for comparing the account records further comprises means for uploading the account records to a database.

43. The system of claim 42, wherein the means for uploading the account records to the database further comprises means for uploading the account records according to a predefined schedule.
44. The system of claim 1, wherein the means for comparing the account records further comprises means for predefining the matching rules.
45. The system of claim 35, wherein the means for comparing the account records further comprises means for generating a report of the comparison.
46. The system of claim 45, wherein the means for generating the report further comprises a terminal for displaying the report for a user.
47. The system of claim 35, wherein the means for allowing the manual match further comprises means for generating a report of the comparison identifying the unmatched account records.
48. The system of claim 47, wherein the means for generating the report further comprises a terminal for displaying the report for a user.
49. The system of claim 48, wherein the means for generating the report further comprises means for displaying the unmatched first and second account records simultaneously for the user on a consolidated display at the terminal.
50. The system of claim 1, wherein the means for allowing the manual match further comprises means for storing a record of a reason for the manual match.
51. The system of claim 50, wherein the means for storing the record of the reason further comprises means for allowing retrieval of the record of the reason for the manual match.

A method and system for centralized automated reconciliation of investment manager and related custody accounts makes use of computer hardware and software in a service bureau environment to receive information and records electronically from fund managers and custodian banks in different formats, to reformat the files for inputting to the system, and to perform the reconciliation process in a uniform manner. The system also allows one or both of fund managers and custodians to establish matching rules, to view the results of the matching process, to track the investigation process for unmatched records, and to manually match unmatched records.

15 C0464-184988
WINLIB01:806214.01




FIG. 1

09333877 in 032800




FIG. 2

09535877 032800




FIG. 3

0955677 in 032800




FIG. 4

09635677 032200




FIG. 5




FIG. 6

09535877.032800




FIG. 7

095346877 032800

147567406

EXPRESS MAIL NO. _____

64

CARS - Main Menu		User - SYSADMIN-USER		-	□	X									
66	File	68	View	70	Administration	72	Setup	74	Query	76	Reports	78	Security	80	Help

FIG. 8

09335877 . 032200

82 — Password Change

X

84 — Present Password

86 — New Password

88 — Confirm Password

90 —

OK

Close

Help

FIG. 9

09535677 032800

92

User Group - List All

X

UserGroupID	UserGroup Name	Grou
CustServ	Customer Service	5
FMGRP1	Fund Manager Group 1	5
FMGRP2	Fund Manager Group 2	5
SysAdmin	System Administrator — 96	1
SystemAdmin	System Administrator	5

98

Add...

104

Modify...

106

Delete...

108

View...

102

Clear

112

Close

110

Print

Function...

Help

▼

▼

94

User Group - Details (Modify)

X

User Group ID

FMGRP1

User Group Name

Fund Manager Group 1

Group Level

5

Group Is Fund Manager

☒

Created On

01-Jan-1999 05:41:33

Created By

SYSADMIN-USER

LastModifiedOn

01-Jan-1999 10:09:13

Last Modified By

SYSADMIN-USER

OK

Close

Help

100

FIG. 11

09535877 032200

System Functions - User Group Mapping

X

UserGroupID

FMGRP1

120

Copy

UserGroupID

FMGRP2

▼

System Functions Available

AuditLogQuery

AuditLogReport

Currency

CustodianBank

FundManager

FundManager-CustodianMapping

Security Types

Services

SystemFunction

SystemParameter

UserGroups

Users

System Functions Mapped

AccountListByClientRpt

AccountType

ActivityLogQuery

ActivityLogReport

CB-UnmatchedDisplaySetup

Clients

Client-UserMapping

ErrorLogReport

FM-UnmatchedDisplaySetup

FundManager-SecurityMapping

MatchedDisplaySetup

MatchedHoldingsByClientRpt

MatchedTransByClientRpt

MatchGroups

MatchResults

PercMatchedByBank&ClientRpt

SchedularSetup

▲

▼

122

Add >

124

Remove <

118

Save

Clear

Close

126

128

Help

FIG. 12

09535877 032800

130 —

User List-All

X

Search On —

User ID

UserGroupID

Search

User ID	UserGroup ID	Fund Manager ID	User N
CustServUser	CustServ		Custom
FMUser1	FMGRP1	JAMCUKLO001	Fund M
FMUser2	FMGRP1	TEMPUSNY001	Fund M
FMUser3	FMGRP2	TEMPUSNY002	Fund M
FMUser4	FMGRP2	MELYUSNY001	Fund M
SYSADMIN	SysAdmin		SYSAD
SystemAdmin	SystemAdmin		Default

Add...

Modify...

Delete...

View...

Clear

Close

Print

Help

138

142

144

146

136

148

FIG. 13

09335877 0332800

132

User - Details (Modify)

X

User ID	FMUser1	Password	*****
User Name	Fund Manager User 1	UserGroupID	FMGRP1 ▾
FundManager ID	JAMCUKLO001 ▾	User Sees All Clients	<input checked="" type="checkbox"/>

Created On	01-Jan-1999 05:56:51	Created By	SYSADMIN-USER
Last Modified On	09-Jul-1998 06:17:10	Last Modified By	FMUser1

OK

Close

Help

140

FIG. 14

0903587 032800

150

System Parameters - List All

X

Sys Param ID	Sys Param Name	Sys Param Value
SchedulTime	Scheduler Time	10

Add...

Modify...

Delete...

View...

Clear

Close

Print

Help

154

160

162

164

158

166

FIG. 15

09535877 032200

152

System Parameters - Details (Modify)

X

System Param ID

SchedulerTime

System Param Name

Scheduler Time

System Param Value

10

Created On

24-Jun-1998 00:00:00

Created By

Through Script

Last Modified On

14-Jul-1998 11:40:12

Last Modified By

SYSADMIN-USER

OK

Close

Help

156

FIG. 16

09535877 032800

168

Currency - List All

X

Search On

Currency ID 172

Currency Name 174

Search

176

Currency ID	Currency Name	Country
DEM	Deutsche Mark	Germany
GBP	Great Britain Pound	United Kin
INR	Indian Ruppee	India
JPY	Japanese Yen	Japan
KDR	Kuwaiti Dinar	Kuwait
SGD	Singapore Dollar	Singapore
USD	US Dollar	USA

Add...

180

Modify...

184

Delete...

186

View...

188

Clear

178

Close

190

Print

Help

176

180

184

186

188

178

190

FIG. 17

09535877 032800

170

Currency - Details [Add]

X

Currency ID

Currency Name

Country

Created On

Created By

Last Modified On

Last Modified By

OK

Close

Help

182

FIG. 18

09335877 032200

Security Types

X

Search On

Security Type ID

Security Type Description

Search

Security Type ID	Security Type Description	Is
NonStdSec	Non Standard Security	
SECURITY1	EQUITY BASED SECURITIES	
Security2	Debt based securities	
Security3	Hybrid securities	

Add...

Modify...

Delete...

View...

Clear

Close

Print

Help

FIG. 19

09535877 032800

194 — Security Type - Details [Add] X

Security Type ID

Security Type Desc

Is Specific ☐ Specific ☒ Non Specific

Created On

Created By

Last Modified

Last Modified

206 —

FIG. 20

09335877 032800

216

Services - List All

X

Search On

Service Type ID

Service Type Description

Search

Service ID	Service Type Description	Service Type	Service Translation ID
ACCT	Account	F	8
CLIENT	Client	F	9
HLD	Holdings	R	6
SECURITY	Security/Details	F	4
TRAN	Transactions	R	7

Add...

Modify...

Delete...

View...

Clear

Close

Print

Help

FIG. 21

09535877 032800

218

Services - Details [Add]

X

Service Type ID

Service Type Desc

Account

Import/Reconciliation

☒ Import Only

☐ Reconciliation

Service Translation ID

8

Created On

Created By

Last Modified On

Last Modified By

OK

Close

Help

226

FIG. 22

0953587 032800

Fund Manager - List All

X

234

Search On

Fund Manager ID

Parent Fund Manager ID

242

Search

Fund Manager ID	Fund Manager Name	Parent Fund Manager Name	BIC #
JAMCUKL0001	Robin Cook		JAMCUKLO
MELYUSNY001	K. Singh		MELYUSNY
TEMPUSNY001	Mark Mobius		TEMPUSNY
TEMPUSNY002	James Robert	TEMPUSNY001	TEMPUSNY

246

Add...

250

Modify...

252

Delete...

254

View...

244

Clear

256

Close

Print

Services...

238

Map...

240

Help

FIG. 23

09535877 032800

236

Fund Manager - Details [Modify]

☐ Parent Fund Manager

Primary Identification

Fund Mgr ID

TEMPUSNY002

▼

Parent ID

TEMPUSNY001

Name

James Robert

BIC #

TEMPUSNY002

Contact Identification

Name

Jamie

Address

32342 Wall Street

City

New York

State

NY

Zip

10025

Country

USA

Phone

212-789-8657

Fax

212-479-6987

E-mail

robert@templeton.com

Other Info

Base Currency

USD

▼

Archive After

25

days

Scheduler Preference

☐ Automatic
☒ Manual
☐ Scheduled

Last Archived On

Jan 1 1900 12:00AM

Last Archived By

Not archived.

Created On

01-Jan-1999 06:16:41

Created By

SYSADMIN-USER

Last Modified On

01-Dec-1999 08:18:01

Last Modified By

Customer Service User 1

OK

Close

Help

FIG. 24

09535677 0322800

147567406

EXPRESS MAIL NO. _____

258 — Fund Manager-Services-List for TEMPUSNY002

Service Type ID	Import/Reconcile	Service	File Extension	File For
ACCT	Import Only	Daily	act	Tab De
CLIENT	Import Only	Daily	cli	Fixed L
TRAN	Import/Reconcile	Daily	trn	Pipe D

Add...262

Modify...268

Delete...270

View...272

Clear266

Close274

Print

Help

FIG. 25

09635877 032800

260

Fund Manager Services-Details [Modify] for TEMPUSNY002

Service Type ID

TRAN

Import Specifications

Directory

x:\ST\Import\Tran\TempletonChild

Browse...

File Name

Templeton Transactions

File Format

Pipe Delimited

File Extension

tm

Table Name

cars_tb_FM_Transactions

Last Received On

Jan 1 1999 9:25AM

Match Data Option

☐ New Data

☐ Unmatched Data

☒ All Data

File Transfer Mode

☐ Update Changed Fields

☒ Replace Entire Record

Service Level

☒ Daily

☐ Weekly

☐ Monthly

☐ Others

Number Of Days

0

Import/Reconcile

☐ Import Only

☒ Import + Reconcile

Archival Specifications

Directory

x:\ST\Archive\Tran\TempletonChild

Browse...

File Name

tranarchive

Created On

01-Jan-1999 09:25:13

Created By

SYSADMIN-USER

Last Modified On

01-Jan-1999 09:25:13

Last Modified By

SYSADMIN-USER

264

OK

Close

Help

FIG. 26

0933337 032800

276

Fund Manager Mapping - List All TEMPUSNY002							X
Service Type ID	Output Field	Import Field	Field Order	Field Is	Field	Δ	
ACCT	AccountName	AccountName	4	Y	0		Add... 280
ACCT	AccountTypeID	AccountTypeID	3	Y	0		Modify... 294
ACCT	BaseCurrency	BaseCurrency	5	Y	0		Delete... 296
ACCT	BIC	BIC	6	Y	0		View... 298
ACCT	ClientID	ClientID	1	Y	0		Clear 292
ACCT	ClientSafeKeep	ClientSafeKeep	7	Y	0		Close 300
ACCT	PrimaryAccount	PrimaryAccount	2	Y	0		
ACCT	ClientID	ClientID	1	Y	0		
ACCT	ClientName	ClientName	2	Y	9		Print
ACCT	CustodianID	CustodianID	3	Y	22		
ACCT	BaseCurrency	BaseCurrency	10	Y	0		
ACCT	BuySellFlag	BuySellFlag	17	Y	0		
ACCT	ClientAccountN	ClientAccountN	8	Y	0		
ACCT	ClientID	ClientID	1	Y	0	▽	Help
Δ						▷	

FIG. 27

09235877 032800

Fund Manager Mapping - Details [Modify] TEMPUSNY002

x

Service Type ID

TRAN

Mapping Details

Translation Details

CARS FieldName

ClientID

Import FieldName

ClientId

Field Description

ClientId

Permit Match-Rule Definition ?

Translation Required ?

Primary Field Name

Secondary Field Name

Field Mandatory ?

Permit Replace ?

Default Value

0

Order

1

Start Position

0

Length

0

Created On

01-Jan-1999 12:19:06

Created By

SYSADMIN-USER

Last Modified On

01-Jan-1999 13:27:28

Last Modified By

Fund Manager User 3

OK

Close

Help

FIG. 28

09535877 032800

Custodians - List All

X

Search On

Custodian ID

Custodian Name

Search

Custodian ID	Custodian Name	Custodian BIC
CITIUK111	Citibank London	CITIUK111
CITIUS111	Citibank New York	CITIUS111
CITIUS222	Citibank Chicago	CITIUS222

Add...

Modify...

Delete...

View...

Clear

Close

Print

Contacts...

Services...

Map...

Help

FIG. 29

09535877 032800

304

Custodian - Details [Modify]

X

Custodian ID

CITUK111

Custodian Name

Citibank London

BIC

CITUK111

Parent Custodian

CITICORP GROUP

Base Currency

GBP

▼

Created On

01-Jan-1999 07:10:15

Created By

Customer Service User 1

Last Modified On

01-Jan-1999 07:10:15

Last Modified By

Customer Service User 1

OK

Close

Help

316

FIG. 30

09121567 032300




FIG. 31

0923587 in 032800

147567406

EXPRESS MAIL NO. _____

334 —

Contact - Details [Modify] X

Contact PersonAngella

SalutationMs.

First NameAngella

Last NameChristie

AddressE43rd Street

Phone Number212-547-9000

New York, USA

Fax Number212-547-9000

Job TitleACCMgr

Email IDangella@city.com

Created On01-Jan-1999 09:55:20

Created BySYSADMIN-USER

Last Modified On01-Jan-1999 09:55:20

Last Modified BySYSADMIN-USER

338 —

OK

Close

Help

FIG. 32

09335877 032800




FIG. 33

[illegible]

352

Custodian Services - Details [Modify]

x

Service Type ID

TRAN

▼

Import Specifications

Directory

x:\ST\Import\Tran\CITUS111

Browse...

File Name

CITUS1

File Format

Tab Delimited

▼

File Extension

tm

Table Name

cars_tb_CB_Transactions

▼

File Maint Mode

Replace

▼

File Recd On

Jan 1 1900 12:00AM

Rec Start Postn

0

Archival Specifications

Directory

x:\ST\Archive\Tran\CITUS111

Browse...

File Name

tmarchive

Created On

01-Jan-1999 09:37:00

Created By

SYSADMIN-USER

Last Modified On

01-Jan-1999 09:37:00

Last Modified By

SYSADMIN-USER

356

OK

Close

Help

FIG. 34

09535877 032800

368

Custodian Map List - All

X

Custodian ID

CITIUS111

Service Type ID	Output Field Name	Import Field Name	
HLD	BookValueLocalCurrency	BookValueLocalCu	
HLD	ClientID	Client ID	
HLD	CustodianBIC	CustodianBIC	
HLD	Depository	Depository	
HLD	ExchangeRate	Exchange rate	
HLD	FundMgrid	FundMgrid	
HLD	LocalCurrency	LocalCurrency	
HLD	LongShortIndicator	LongShort	
HLD	MktValBaseCurrency	MktValbase	
HLD	MktVailLocalCurrency	MktVailLoc	
HLD	OriginalFaceValue	OriginalFaceValue	
HLD	OriginalSecurityID	Original SecID	

Add...

372

Modify...

378

Delete...

380

View...

382

Clear

376

Close

384

Print

Help

FIG. 35

09535877 032800

370

Custodian Mapping - Details [Modify]

X

Service Type ID

HLD

▽

Mapping Details

OutputFieldName

ClientID

▽

ImportFieldName

Client ID

▽

FieldDescription

Client ID

▽

Permit Match-Rule Definition ?

✓

▽

Translation Details

Translation Required ?

☐

Table Name

▽

Primary Field Name

▽

Secondary Field Name

▽

Import Field Details

Field Mandatory ?

✓

Permit Replace ?

✓

Default Value

Order

1

Start Position

Length

Created On

01-Jan-1999 12:14:26

Created By

Customer Service User 1

Last Modified On

10-Jul-1998 08:01:44

Last Modified By

Fund Manager User 1

OK

Close

Help

374

FIG. 36

09335877 032800

CARS - CrossMar Automated Reconciliation Services

File Edit View Administration Setup Query Reports Window Help

Scheduler

Funding ID INSTITUTION Service ID POS Status

Action MATCH Action Profile I

Recurrence Pattern

Every day(s)

Daily Weekly Monthly

Range of Recurrence

Start Date 03/21/2000 No End Date End By 03/21/2000

Created On Created By

Last Modified On Last Modified By

Now Save Clear Close Help

FIG. 37

09333337 0322800

Times

X

Time Interval (Min)

10

Fill Times

12:00:00 AM

12:00:00 AM

12:10:00 AM

12:20:00 AM

12:30:00 AM

12:40:00 AM

12:50:00 AM

01:01:00 AM

01:10:00 AM

12:00:00 AM

Add >>

<< Delete

OK

Close

12:00:00 AM

FIG. 38

0953587 in 032800

456 Client - List

X

460 Search On

462 Client ID

Client Name

468 Client ID

Client Name

Custodian ID

474 COCACOLA

Coca Cola

CITIUS111

464 Search

468 Add...

474 Modify...

476 Delete...

478 View...

466 Clear

482 Close

480 A/c Profile...

Print

Help

FIG. 39

09535877 032800

458 — Client - Details [Modify] X

Client ID	COCACOLA	Custodian ID	CITIUS111
Client Name	Coca Cola		
Created On	01-Jan-1999 10:57:49	Created By	Fund Manager User2
Last Modified On	01-Jan-1999 10:57:49	Last Modified By	Fund Manager User2

OK

Close

Help

470

FIG. 40

09535877 032800

484

Account

X

Client ID

COCACOLA

Search On

Primary Account ID

Search

Primary/AccountID	AccountTypeID	AccountName	BaseCurrency	B
COKEACC1	TYPE1	COKE ACC1	USD	
COKEACC2	TYPE1	COKE ACC2	DEM	

Add...

Modify...

Delete...

View...

Clear

Close

Print

Help

488

492

496

498

500

490

502

FIG. 41

09535877 032800

486

Account Details [Modify]

X

Client ID

COCACOLA

V

Identification Information

Primary Account ID

COKEACC1

Account Name

COKE_ACC1

Account Information

Account Type ID

TYPE1

Base Currency

USD

SafeKeeping Account Details

BIC

ClientSafeKeepingA/C

COKESafeAccount1

Import File Information

Import File Name

Imported On

Import Rec Seq No

0

Date Last Received On

Created On

01-Jan-1999 11:10:16

Created By

Fund Manager User2

Last Modified On

01-Jan-1999 11:10:16

Last Modified By

Fund Manager User2

494

OK

Close

Help

FIG. 42

09635677 032600

504

User Client Mapping

X

506

Settings For UserID

FMUser1

Copy

UserID

▼

508

Clients Available

Client20
Client21
Client22
Client23
Client24
Client25
Client26
Client27
Client28
Client29
Client3
Client30
Client31
Client32
Client33
Client34
Client35

▲

514

Add >

516

Remove <

510

Clients Mapped

BRITISHAIR
Client1
Client10
Client11
Client12
Client13
Client14
Client15
Client16
Client17
Client18
Client19
Client2
GENELECTRIC

512

Save

520

Clear

518

Close

Help

FIG. 43

09535877 032800

522 — Account Type - List All

X

525 — Search On — Account Type ID

526 — Search

Account Type ID	Account Type Desc
TYPE1	TYPE 1 Account for ST

Add...

530

Modify...

534

Delete...

536

View...

538

Clear

528

Close

540

Print

Help

FIG. 44

09535877 " 032800

524

Account Type - Details [Modify]

X

Account Type ID

TYPE1

Account Type Desc

TYPE 1 Account for ST

Created On

01-Jan-1999 09:45:15

Created By

Fund Manager User 4

Last Modified On

01-Jan-1999 09:45:15

Last Modified By

Fund Manager User 4

OK

Close

Help

532

FIG. 45

09535877 032800

542 — Match Group List

X

546 — Search On

546 — Match Group ID

548 — Match Group Name

550 — Search

Service Type ID	MatchGroupID	MatchGroup Name
TRAN	MG01	Match Group 1
TRAN	MG02	Match Group 2
TRAN	MG03	Match Group 3
TRAN	MG04	Match Group 1
HLD	MG01	Match Group 1
HLD	MG02	Match Group 2
HLD	MG03	Match Group 3
HLD	MG04	Match Group 4

554 — Add...

558 — Modify...

560 — Delete...

562 — View...

552 — Clear

568 — Close

Print

Elements...

Levels...

564

Help

566

FIG. 46

09535877 032800

544

Match Group - Details [Modify]

556

X

Service Type ID

HLD

▼

Match Group ID

MG01

Match Group Name

Match Group 1

Match Mode

☒ Automatic

☐ Manual

Color Code

▼

Comment

Match Group 1

Created On

Created By

Last Modified On

Last Modified By

OK

Close

Help

FIG. 47

09635877 032800

570

Match Group Element List

X

Service Type ID

HLD

Match GroupID

MG01

Field to	Field to	Match Order	Match Rule	Nominal Tol.	Percent
ClientID	ClientID	1	A	0	0
PrimarySecuri	PrimarySecuri	2	A	0	0
ValueDate	ValueDate	3	A	0	0
Quantity	Quantity	4	A	0	0

Add...

574

Modify...

580

Delete...

582

View...

584

Clear

578

Close

586

Print

Help

FIG. 48

09535877 032800

572

Match Group Element - Details [Modify]

576

X

Service Type ID

HLD

Match Group ID

MG01

OK

Close

Help

Field to Match(FM)

ClientID

▼

Field to Match(CB)

ClientID

▼

Aggregate Field (FM) ?

☐

Aggregate Field (CB) ?

☐

Start Char. for Match(FM)

0

Start Char. for Match(CB)

0

Order Of Match

1

↕

Match Rule

☒ Absolute
☐ Mapped

Tolerance

☒ Nominal
☐ Percent

Special Rule Table Required

☐

Table Name for Special Match

▼

Created On

01-Jan-1999 14:16:52

Created By

Fund Manager User 2

Last Modified On

01-Jan-1999 14:16:52

Last Modified By

Fund Manager User 2

FIG. 49

09535877 032800

588 —

Match Group Level List

X

Service Type ID

HLD

Match GroupID

MG01

Custodian ID	Match Grp Level	Security Type ID	Match Grp Level
CITIUS111	1	SECURITY1	LEVEL 1

Add...

Modify...

Delete...

View...

Clear

Close

Print

Help

592

598

600

602

596

604

FIG. 50

09535877 032800

590

Match Group Level - Details [Modify]

X

594

Service Type ID	HLD	Custodian ID	CITTUS111	OK
Match Group ID	MG01	Security Type ID	SECURITY1	Close
Match Group Level No.	1	Color Code	SECURITY1	Help
Match Group Level Desc.	LEVEL 1			
Created On	01-Jan-1999 14:29:32	Created By	Fund Manager User 2	
Last Modified On	31-Dec-1999 06:03:24	Last Modified By	Fund Manager User 2	

FIG. 51

09335877 032800

604

Fund Manager Security Mapping - List All

X

Search On

Custodian ID

FM Primary Security ID

Search

Custodian ID	FM Primary Sec ID	CB Primary Sec ID
CITIUS111	KELLOGS 2002 BON	KELLOGS 2002
CITIUS111	KELLOGS EQ US	KELLOGS 2002
CITIUS111	PEPSI EQ US	PEPSI EQ US

Add...

Modify...

Delete...

View...

Clear

Close

Print

Help

608

614

616

618

612

620

FIG. 52

09000007 030000

606 Fund Manager Security Mapping - Details [Modify]

Custodian ID

CITTUS111

▼

Custodian Name

Citibank New York

FM Primary Sec ID

KELLOGS 2002 BON

CB Primary Sec ID

KELLOGS 2002 BON

Created On

01-Jan-1999 14:53:57

Created By

Fund Manager User 2

Last Modified On

01-Jan-1999 14:53:57

Last Modified By

Fund Manager User 2

OK

Close

Help

610

FIG. 53

09335877 032800

622 — Fund Manager UnMatched Result Display Setup

624 — Service Type ID

TRAN

▼

626 — Available Fields

BaseCurrency
LocalCurrency
MarketValueBaseCurrency
MarketValueLocalCurrency
OriginalFaceValue
TransactionType

628

Add >

< Remove

 634

Selected Fields

ClientID
PrimarySecurityID
BuySellFlag
Quantity
Price
ExchangeRate
SettlementDate
ShortSellFlag
PrimaryAccountID
StatementDate
TradeDate
TransactionReferenceNo
ClientAccountNo

630

632 —

Save

Close

Clear

Help

FIG. 54

09535877 032800

636
Matched Summary Display Database : Current

— □ x

Date Range
Period From
Period To

01-Jul-1998

▼

01-Jul-2098

▼

Fund Manager ID

JAMCUKL0001

▼

Service Type

HLD

▼

Query

Client ID	Value Date	Total Records [F]	% Matched	Total Records [C]	% Matched
▶ BRITISHAIR	31-Dec-1999	3	66.66	3	66.66
GENELECTRIC	31-Dec-1999	3	66.66	3	66.66
*					

▼
▼

Delete
Lock
Unlock
Match
Unmatch
Approve
Unapprove
Archive
Unarchive
Print
Help
Close

642
644
646
648
650
652
654
656
658
660

FIG. 55

09535877 032800

662

Matched Holdings List for Fund Manager : JAMCUKL0001, Client ID : BRITISHAIR, Value Date : 31-Dec-1999

▼

▼

Subscriber	MatchedReference	FundMgrID	PrimaryAccountID	SecurityTypeID	MktValloca
F	200101290732051	JAMCUKL0001	BAACC1		1.500000
C	200101290732051	JAMCUKL0001	BA SafeAccount1	SECURITY1	1.500000
F	200101290732053	JAMCUKL0001	BAACC1		25.000000
C	200101290732052	JAMCUKL0001	BA SafeAccount1	SECURITY1	25.000000
*					

666668670672674676

Comments

Unmatch

View Details

Print

Help

Close

FIG. 56

091535377 032300

664

Subscriber	MatchedReference	StatementDate	TransactionReference	TradeDate	LocalCurr
F	200101290733071	Jan 1 2000 12:00AM	1	Dec 31 1999 12:00AM	GBP
C	200101290733071	Jan 1 2000 12:00AM	BAUK1001a	Dec 31 1999 12:00AM	GBP
C	200101290733071	Jan 1 2000 12:00AM	BAUK1001b	Dec 31 1999 12:00AM	GBP
F	200101290733082	Jan 1 2000 12:00AM	3	Dec 31 1999 12:00AM	USD
C	200101290733082	Jan 1 2000 12:00AM	BAUK1003a	Dec 31 1999 12:00AM	USD
C	200101290733082	Jan 1 2000 12:00AM	BAUK1003b	Dec 31 1999 12:00AM	USD
C	200101290733082	Jan 1 2000 12:00AM	BAUK1003c	Dec 31 1999 12:00AM	USD
C	200101290733082	Jan 1 2000 12:00AM	BAUK1003d	Dec 31 1999 12:00AM	USD
C	200101290733082	Jan 1 2000 12:00AM	BAUK1003e	Dec 31 1999 12:00AM	USD
*					

X

666
668
670
672
674
676

Comments
Unmatch
View Details
Print
Help
Close

FIG. 57

09535877 032800

147567406

EXPRESS MAIL NO. _____

Unmatched Transactions List for Fund Manager : JAMCUKLO001, Client ID : BRITISHAIR, Statement Date : 01-Jan-20...
x

ClientID	PrimarySecurityID	BuySellFlag	Quantity	Price	Exchanger
BRITISHAIR	SHELL2002BONDSUK	S	1000.000000	25.000000	1.00000

Bank					
BankReferenceNo	BuySellIndicator	ClientID	FundMgrID	PrimarySecurityID	Quantity
BAUK1002	S	BRITISHAIR	JAMCUKLO001	SHELL2002BONDSUK	900.000000

Match
CB Comments
FM Comments
View Details
Print
Help
Close

FIG. 58

09535877 032800

680

Unmatched Holdings List for Fund Manager : JAMCUKLO001, Client ID : BRITISHAIR, Value Date : 31-Dec-1999

x

Manager					
ClientID	PrimarySecurityID	Quantity	Price	LocalCurrency	PrimaryA
▷ BRITISHAIR	SHELL2002BONDSUK	500.000000	10.000000	USD	BAACC2

▷

Bank					
ClientID	CustodianBIC	Depository	LongShortIndicator	OriginalSecurityID	Price
▷ BRITISHAIR	CITIUK111	CITIUK	S	OriginalSHELL2002	10.000000

▷

682

Match

684

CB Comments

686

FM Comments

688

View Details

690

Print

692

Help

694

Close

FIG. 59

09535677 032800

696
View Audit Log List

X

698
Filter By

700
☐ UserName

706
☐ TableName

☒ None

712
Filter Option

702
UserName

TableName

Key Code

704
View

710
Clear

714
Close

Print

Help

708
Audit Details

Table Name	Key Code	Event	Time S
<div><div>▼</div><div></div><div>▼</div></div>			

FIG. 60

09535877 032200

716
718
722
720
724

Activity Log

Period From

Fund Manager IDs

Activity Types

Period To

Activity Date	Activity Type ID	User Name	Activity Start End	Activity Description	Δ
01-Jan-2000	Approve-Manual	FMUser1	S	Manual Approval of Position	
01-Jan-2000	Approve-Manual	Fund Manager User	E	Manual Approve of Position	
01-Jan-2000	Approve-Manual	FMUser1	S	Manual Approve of Transac	
01-Jan-2000	Approve-Manual	Fund Manager User	E	Manual Approve of Transac	
01-Jan-2000	Approve-Manual	FMUser1	S	Manual Approve of Transac	
01-Jan-2000	Approve-Manual	Fund Manager User	E	Manual Approve of Transac	
01-Jan-2000	Approve-Manual	FMUser1	S	Manual Approve of Transac	
01-Jan-2000	Approve-Manual	Fund Manager User	E	Manual Approve of Transac	
01-Jan-2000	Approve-Manual	FMUser1	S	Manual Approve of Transac	
01-Feb-2000	Approve-Manual	Fund Manager User	E	Manual Approve of Transac	
01-Feb-2000	Approve-Manual	FMUser1	S	Manual Approve of Transac	
01-Feb-2000	Approve-Manual	FMUser1	S	Manual Approve of Transac	

FIG. 61

09535877 032800

736 Account List By Client

X

Clients

740

Client48 - Client
Client49 - Client
Client5 - Client
Client50 - Client
Client6 - Client
Client7 - Client
Client8 - Client
Client9 - Client
XEROX - Xerox

742 Unselect All

Report Action

752 ☒ View

756 ☐ Print

758 ☐ Save In File

754

Report

Clear

Close

Help

FIG. 62

09333377 032800

738										Account List By Client Report				X																																																							
<input checked="" type="checkbox"/> <input type="checkbox"/> 1 of 1+										<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		Total 52		100%																																																							
Date 14/Jul/1998 03:29:11PM										Account List By Client										User Fund Manag																																																	
ClientID All Client IDs										ClientID 744										AccountTypeID 746										AccountName 748										CustodianID 750																													
Client1 Client1AS WAS IMPORTED										ClientID										ClientName										PrimaryAccountID										AccountTypeID										AccountName										CustodianID									
Client10 Client										Acct1										TYPE1										Acct1										CITIUS111																													
Client10 Client										Acct10										TYPE1										Acct10										CITIUS111																													
Client11 Client										Acct11										TYPE1										Acct11										CITIUS111																													
Client12 Client										Acct12										TYPE1										Acct12										CITIUS111																													
Client13 Client										Acct13										TYPE1										Acct13										CITIUS111																													
Client14 Client										Acct14										TYPE1										Acct14										CITIUS111																													
Client15 Client										Acct15										TYPE1										Acct15										CITIUS111																													
<input type="checkbox"/>										<input type="checkbox"/>										<input type="checkbox"/>										<input type="checkbox"/>										<input type="checkbox"/>																													
<input type="checkbox"/>										<input type="checkbox"/>										<input type="checkbox"/>										<input type="checkbox"/>										<input type="checkbox"/>																													

FIG. 63

09535877 032800

756

Activity Log

760

762

X

Period From

14-Jul-1998

▼

Period To

23-Jul-2004

▼

Fund Managers

JAMCUKLO001 - Robin Co
MELYUSNY001 - K. Singh
NEWFM1 - New Fund Mana
TEMPUSNY001 - Mark Mob
TEMPUSNY002 - James Ro

Activity Types

Unapprove-Manual
Lock-Manual
Unlock-Manual
Archive-Automatic
Archive-Manual
Unarchive-Manual
Login
Logout
Change-Password

▲

▼

766

Unselect All

776

Unselect All

Report Action

772

☒ View

☐ Print

776

☐ Save In File

774

Report

Clear

Close

Help

FIG. 64

09535877 032800

758

Activity Log Report

☒

☒

1 of 1+

☐

☒

☒

☐

☐

☐

Total 8045

100%

Activity Log Report

Use

Date 14/Jul/1998 03:16:10PM

Period From 14/Jul/1998

Period To 23/Jul/2004

Activity Type All Activity Types

Fund Manager All Fund Manager IDs

Fund Manager ID

Activity Type

Start End Indicator

User Name

Activity Date Time

Ret

JAMCUKL0001

Approve-Manual S FMUser1 01/Feb/2000 05:42:19 Manua

Approve-Manual E Fund Manager User 1 01/Feb/2000 05:42:19 Manua

Approve-Manual S FMUser1 01/Feb/2000 06:10:42 Manua

Approve-Manual E Fund Manager User 1 01/Feb/2000 06:10:42 Manua

Approve-Manual S FMUser1 01/Feb/2000 06:10:59 Manua

Approve-Manual E Fund Manager User 1 01/Feb/2000 06:10:59 Manua

Approve-Manual S FMUser1 01/Feb/2000 07:52:14 Manua

Approve-Manual E Fund Manager User 1 01/Feb/2000 07:52:14 Manua

Approve-Manual S FMUser1 01/Jan/2000 07:26:29 Manua

Approve-Manual E Fund Manager User 1 01/Jan/2000 07:26:29 Manua

Approve-Manual S FMUser1 01/Jan/2000 07:35:34 Manua

Approve-Manual E Fund Manager User 1 01/Jan/2000 07:35:34 Manua

Approve-Manual S FMUser1 01/Jan/2000 07:43:39 Manua

FIG. 65

09535877 032300

778 — Audit Log 782 X 784

Period From 30-Jun-1989 ▾ Period To 22-Jul-2005 ▾

Audit Type —

786 — I - Insert
U - Update
D - Delete

Unselect All 788

Report Action —

790 — ☒ View 794 Print 796 Save In File

792 — Report Clear Close Help

FIG. 66

09533877 032800

147567406

EXPRESS MAIL NO.

780		Audit Log Report																											
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> 1 of 1+		<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		Total 1708		100%																							
<div> <div> <div>Date 14/Jul/1998 02:23:06PM</div> <div>Audit Log Report</div> <div>User Customer</div> </div> <div> <div>Period From 30/Jun/1989</div> <div>Audit Types All Audit Types</div> </div> <div> <div>Period To 22/Jul/2005</div> </div> </div>																													
<table border="1"> <thead> <tr> <th>Audit Type</th> <th>Table Affected</th> <th>Audit Date Time</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>Insert</td> <td>cars_tb_Account</td> <td>30/Jun/1998 12:41:19</td> <td>TYPE1 Acct6DEM daagsds</td> </tr> <tr> <td>Insert</td> <td>cars_tb_Account</td> <td>30/Jun/1998 12:43:07</td> <td>TYPE1 samirb INR samirb</td> </tr> <tr> <td>Delete</td> <td>cars_tb_Account</td> <td>30/Jun/1998 12:43:32</td> <td>TYPE1 samirb INR samirb</td> </tr> <tr> <td>Insert</td> <td>cars_tb_Account</td> <td>30/Jun/1998 12:51:33</td> <td>TYPE1 DELTA_ACC GBP </td> </tr> </tbody> </table>										Audit Type	Table Affected	Audit Date Time	Remarks	Insert	cars_tb_Account	30/Jun/1998 12:41:19	TYPE1 Acct6DEM daagsds	Insert	cars_tb_Account	30/Jun/1998 12:43:07	TYPE1 samirb INR samirb	Delete	cars_tb_Account	30/Jun/1998 12:43:32	TYPE1 samirb INR samirb	Insert	cars_tb_Account	30/Jun/1998 12:51:33	TYPE1 DELTA_ACC GBP
Audit Type	Table Affected	Audit Date Time	Remarks																										
Insert	cars_tb_Account	30/Jun/1998 12:41:19	TYPE1 Acct6DEM daagsds																										
Insert	cars_tb_Account	30/Jun/1998 12:43:07	TYPE1 samirb INR samirb																										
Delete	cars_tb_Account	30/Jun/1998 12:43:32	TYPE1 samirb INR samirb																										
Insert	cars_tb_Account	30/Jun/1998 12:51:33	TYPE1 DELTA_ACC GBP																										

FIG. 67

Climatic data		Soil data		Plant data		Insect data		Bird data		Mammal data	
Variable	Unit	Variable	Unit	Variable	Unit	Variable	Unit	Variable	Unit	Variable	Unit
Temperature	°C	Soil moisture	%	Plant height	m	Insect abundance	count	Bird abundance	count	Mammal abundance	count
Humidity	%	Soil pH	pH	Plant biomass	g	Insect diversity	index	Bird diversity	index	Mammal diversity	index
Light intensity	lux	Soil texture	cm	Plant root length	cm	Insect biomass	g	Bird biomass	g	Mammal biomass	g
Wind speed	m/s	Soil depth	cm	Plant leaf area	cm²	Insect feeding rate	%	Bird feeding rate	%	Mammal feeding rate	%
Rainfall	mm	Soil temperature	°C	Plant seed count	count	Insect reproduction rate	%	Bird reproduction rate	%	Mammal reproduction rate	%
Cloud cover	%	Soil nutrient content	mg/kg	Plant flower count	count	Insect survival rate	%	Bird survival rate	%	Mammal survival rate	%
Atmospheric pressure	hPa	Soil organic matter	%	Plant fruit count	count	Insect mortality rate	%	Bird mortality rate	%	Mammal mortality rate	%
Relative humidity	%	Soil salinity	g/kg	Plant seedling count	count	Insect dispersal rate	%	Bird dispersal rate	%	Mammal dispersal rate	%
UV radiation	W/m²	Soil bulk density	g/cm³	Plant root count	count	Insect predation rate	%	Bird predation rate	%	Mammal predation rate	%
Soil temperature	°C	Soil porosity	%	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil moisture	%	Soil permeability	cm/s	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil pH	pH	Soil water content	%	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil texture	cm	Soil nutrient content	mg/kg	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil depth	cm	Soil organic matter	%	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil temperature	°C	Soil salinity	g/kg	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil moisture	%	Soil bulk density	g/cm³	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil pH	pH	Soil porosity	%	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil texture	cm	Soil permeability	cm/s	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil depth	cm	Soil water content	%	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil temperature	°C	Soil nutrient content	mg/kg	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil moisture	%	Soil salinity	g/kg	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil pH	pH	Soil bulk density	g/cm³	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil texture	cm	Soil porosity	%	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil depth	cm	Soil permeability	cm/s	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil temperature	°C	Soil water content	%	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil moisture	%	Soil nutrient content	mg/kg	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil pH	pH	Soil salinity	g/kg	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil texture	cm	Soil bulk density	g/cm³	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil depth	cm	Soil porosity	%	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil temperature	°C	Soil permeability	cm/s	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil moisture	%	Soil water content	%	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil pH	pH	Soil nutrient content	mg/kg	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil texture	cm	Soil salinity	g/kg	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil depth	cm	Soil bulk density	g/cm³	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil temperature	°C	Soil porosity	%	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil moisture	%	Soil permeability	cm/s	Plant root length	cm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil pH	pH	Soil water content	%	Plant root diameter	mm	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil texture	cm	Soil nutrient content	mg/kg	Plant root volume	cm³	Insect competition rate	%	Bird competition rate	%	Mammal competition rate	%
Soil depth	cm										

798 — Error Log Report 802 X 804

Period From 14-Jul-1998 ▾ Period To 29-Jan-2001 ▾

806 Fund Manager IDs
JAMCUKLO001 - Robin Cook ▾

Report Action

☒ View ☐ Print 810 ☐ Save In File 812

808 Report Clear Close Help

FIG. 68

09335877 0322000

147567406

EXPRESS MAIL NO.

800		Error Log Report		-		X	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> 1 of 1+		<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		Total 524		100%	
<div> <div>Date 14/Jul/1998 3:26:36PM</div> <div>Period From 14/Jul/1998</div> <div>Period To 29/Jan/2001</div> <div>Fund Manager ID</div> </div>		Error Log Report		User		Custome	
JAMCCKL0001		Error Date	Error Severity	UserID			
31/Dec/1999 10:10:55		Warning					
31/Dec/1999 10:14:59		Warning					
31/Dec/1999 10:29:32		Fatal	System Initiated				
31/Dec/1999 11:28:13		Warning					
01/Jan/2000 05:19:05		Warning					
01/Jan/2000 05:19:05		Warning					
01/Jan/2000 05:19:06		Warning					
01/Jan/2000 05:45:09		Warning					
01/Jan/2000 05:45:10		Warning					
01/Jan/2000 05:45:10		Warning					
01/Jan/2000 05:54:10		Warning					
01/Jan/2000 05:54:10		Warning					
01/Jan/2000 05:56:10		Warning					
01/Jan/2000 07:47:06		Fatal	System Initiated				
31/Jan/2000 05:48:38		Warning					
31/Jan/2000 07:07:07		Warning					
31/Jan/2000 07:08:08		Warning					
01/Feb/2000 05:44:40		Warning					
01/Feb/2000 05:52:45		Warning					
01/Feb/2000 05:59:51		Warning					

FIG. 69

Table 1. Demographic characteristics of the study population	
Age (years)	65.5 ± 10.5
Gender	
Male	55.5%
Female	44.5%
Education (years)	12.5 ± 3.5
Income (USD/month)	1,200 ± 300
Marital status	
Married	65.5%
Single	34.5%
Health status	
Good	75.5%
Fair	24.5%
Chronic diseases	
Hypertension	45.5%
Diabetes	35.5%
Heart disease	25.5%
Stroke	15.5%
Arthritis	30.5%
Chronic kidney disease	10.5%
Chronic lung disease	5.5%
Chronic liver disease	2.5%
Chronic mental health	1.5%
Chronic pain	12.5%
Chronic fatigue	8.5%
Chronic stress	15.5%
Chronic anxiety	10.5%
Chronic depression	12.5%
Chronic insomnia	15.5%
Chronic headache	10.5%
Chronic dizziness	8.5%
Chronic nausea	5.5%
Chronic vomiting	2.5%
Chronic diarrhea	1.5%
Chronic constipation	1.5%
Chronic cough	1.5%
Chronic asthma	1.5%
Chronic allergies	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%
Chronic skin conditions	1.5%
Chronic eye conditions	1.5%
Chronic ear conditions	1.5%
Chronic nose conditions	1.5%
Chronic throat conditions	1.5%
Chronic mouth conditions	1.5%

814

Percentage Matched Report

X

Period From

14-Jul-1998

▼

818

Period To

29-Jan-2001

▼

820

822

Service Type IDs

HLD

▼

820

Report Action

☒ View

☐ Print

☐ Save In File

824

828

830

826

Report

Clear

Close

Help

FIG. 70

147567406

EXPRESS MAIL NO

816

FIG. 71

[illegible]

147567406

EXPRESS MAIL NO. _____

832

Matched Holdings By Client

X

Period From

31-Dec-1999

836

V

Period To

29-Jan-2001

838

V

Client ID

Client48 - Client

Client49 - Client

Client5 - Client

Client50 - Client

Client6 - Client

Client7 - Client

Client8 - Client

Client9 - Client

COCACOLA - Coca Cola Inc.

840

842

Unselect All

Report Action

844

View

848

Print

850

Save In File

846

Report

Clear

Close

Help

FIG. 72

09535877 032800

EXPRESS MAIL NO.

EXPRESS MAIL NO.

Matched Holdings By Client Report									
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> 1 of 1+		<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		Total 6		100%			
Date 14/Jul/1998 03:33:57PM		Matched Holdings By Client				User		Fun	
Period From 31/Dec/1999		Client ID All Client IDs							
Period To 29/Jan/2001									
<i>Bank records in grey background</i>									
ClientID	Value	Date	Account No	Security ID	Price	Quantity			
COCACOLA									
31/Dec/1999	COKEACCI			KELLOGS EQ US	1.5000	500.0000			
31/Dec/1999	COKEACCI			PEPSI EQ US	25.0000	1,000.0000			
31/Dec/1999	COKEACC2			KELLOGS 2002 BON	10.0000	500.0000			
31/Dec/1999	COKESafeAccount1			KELLOGS EQ US	1.5000	500.0000			
31/Dec/1999	COKESafeAccount1			PEPSI EQ US	25.0000	1,000.0000			
31/Dec/1999	COKESafeAccount2			KELLOGS 2002 BON	10.0000	500.0000			
<i>End of Report</i>									

FIG. 73

Matched Transactions By Client

X

Period From14-Jul-1998▼

856

Period To29-Jan-2002▼

858

Clients

Client IDs

Client48 - Client
Client49 - Client
Client5 - Client
Client50 - Client
Client6 - Client
Client7 - Client
Client8 - Client
Client9 - Client
XEROX - Xerox

▼

▼

▼

▼

Unselect All

860

Report Action

☒ View

864

☐ Print

866

☐ Save In File

Report

Clear

Close

Help

FIG. 74

09633677 033200

854

Matched Transactions By Client Report										-	X
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1 of 1+	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Total 6	100%		
Matched Transactions By Client											
Date 14/Jul/1998 03:40:23PM											
Period From 14/Jul/1998											
Period To 29/Jan/2002											
Bank records in grey background											
ClientID											
Statement Date	TransactionRef	Account No	Security ID	Price	Quantity						
XEROX											
01/Jan/2000	1	XEROXACCI	MICROSOFT EQ US	12.0000000	1,000						
01/Jan/2000	2	XEROXACCI	COKE US	7.0000000	2,000						
01/Jan/2000	3	XEROXACC2	SUN EQ UK	12.0000000	500						
01/Jan/2000	XEROXI001	XEROXSafAccount1	MICROSOFT EQ US	0.0000000	1,000						
01/Jan/2000	XEROXI002	XEROXSafAccount1	COKE US	0.0000000	2,000						
01/Jan/2000	XEROXI003	XEROXSafAccount2	SUN EQ UK	0.0000000	500						
End of Report											
										Δ	Δ

FIG. 75

09636877 032800

868

Unmatched Holdings By Client

X

Period From

14-Jul-1998

872

▼

Period To

29-Jan-2001

874

▼

Client ID

Client IDs

Client48 - Client

Client49 - Client

Client5 - Client

Client50 - Client

Client6 - Client

Client7 - Client

Client8 - Client

Client9 - Client

COCACOLA - Coca Cola Inc.

▼

Unselect All

876

Record Source

☒ Fund Manager

☐ Custodian Bank

☐ Both

Report Action

☒ View

882

Print

☒ Save In File

884

Report

Clear

Close

Help

880

FIG. 76

09535377 032800

147567406

EXPRESS MAIL NO.

Unmatched Holdings By Client Report												
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	1 of 1 +	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>								Total 6	100%	
Unmatched Holdings By Client												US
Date	14/Jul/1998			03:37:56PM								
Period From	14/Jul/1998			Client ID	All Client IDs							
Period To	29/Jan/2001											
Option	Both [Bank records in grey background]											
ClientID	Value Date	Account No	Security ID	Price	Quantity							
COCACOLA												
31/Dec/1999	COKEACCI	KELOGS EQ US	1.5000	500.0000								
31/Dec/1999	COKEACCI	PEPSI EQ US	25.0000	1,000.0000								
31/Dec/1999	COKEACC2	KELOGS 2002 BON	10.0000	500.0000								
31/Dec/1999	COKESafeAccount1	KELOGS EQ US	1.5000	500.0000								
31/Dec/1999	COKESafeAccount1	PEPSI EQ US	25.0000	1,000.0000								
31/Dec/1999	COKESafeAccount2	KELOGS 2002 BON	10.0000	500.0000								
End of Report												

FIG. 77

Table 1. Demographic characteristics of the study population	
Age (years)	50.0 ± 10.0
Gender	
Male	50.0%
Female	50.0%
Education (years)	12.0 ± 2.0
Marital status	
Married	80.0%
Single	20.0%
Occupation	
Professional	30.0%
Managerial	20.0%
Technical	10.0%
Skilled	20.0%
Unskilled	20.0%
Income (USD/month)	1,500.0 ± 500.0
Health insurance	
Yes	90.0%
No	10.0%

886

Unmatched Transactions By Client

X

Period From

14-Jul-1998

900

▼

Period To

29-Jan-2002

902

▼

Clients

Client48 - Client

Client49 - Client

Client5 - Client

Client50 - Client

Client6 - Client

Client7 - Client

Client8 - Client

Client9 - Client

XEROX - Xerox

▼

▼

▼

▼

Unselect All

904

Record Source

☒ Fund Manager

☐ Custodian Bank

☐ Both

Report Action

☒ View

906

908

Print

☐ Save In File

912

Report

Clear

Close

Help

910

FIG. 78

09535877 032800

888

Unmatched Transactions By Client Report

☒ ☐

1 of 1+

☐ ☒ ☒ ☐ ☐ ☐

Total 6

100%

△

△

Date 14/Jul/1998 03:42:15PM

Unmatched Transactions By Client

Period From 14/Jul/1998

Period To 29/Jan/2002

Option Both [Bank records in grey background]

Client ID

All Client IDs

Client ID

Statement Date

Transaction Ref

Account No

Security ID

Price

XEROX

01/Jan/2000

1

XEROXACC1

MICROSOFT EQ US

12.0000

01/Jan/2000

2

XEROXACC1

COKE US

7.0000

01/Jan/2000

3

XEROXACC2

SUN EQ UK

12.0000

01/Jan/2000

XEROXSafeAccount1

MICROSOFT EQ US

0.0000

01/Jan/2000

XEROXSafeAccount1

COKE US

0.0000

01/Jan/2000

XEROXSafeAccount2

SUN EQ UK

0.0000

End of Report

△

▽

FIG. 79

09535877 032200

EXPRESS MAIL NO. _____

FIG. 79a[illegible]

CARS - CrossMar Automated Reconciliation Services										-	□	X
File Edit View Administration Setup Query Reports Window Help												
?												
Profile Setup												
X												
Basic Information Export Details												
Fund Manager ID INSTITUTIONALADV ▾ Service POS ▾ 920												
918 Profile Type MATCH ▾ Profile Name ▾ 928												
Custodian Banks CITIBANK 922 Clients 924												
Get Custodians ✓ Select All Show Client												
926 Date Range												
○ From 03/21/2000 ▾ To 03/21/2000 ▾												
○ Last Days ○ All												
Match Status												
○ Matched ○ UnMatched ○ All												
Now Save Clear Close ? Help												
Alan Schneider INSTITUTIONALAD 03/21/2000 3:19PM CAPS NUM												

FIG. 80

0933587 " 032800

147567406

EXPRESS MAIL NO. _____

CARS - CrossMar Automated Reconciliation Services										_	□	X
File Edit View Administration Setup Query Reports Window Help												
										?		
Aging Report										X		
Fund Manager INSTITUTIONALADV ▾ Service Type POS ▾												
Custodian & Clients Details										Report		
Custodian Bank List										Close		
CITIBANK-Citibank										? Help		
Unselect All Get Clients												
Client List												
111AK												
222AK												
333AK												
444AK												
555AK												
Select All												
Record Source												
FundManager Custodian Both												
Report Action View Print Save to file												
Alan Schneider										NSTITUTIONALAD		
										03/21/2000		
										3:26PM		
										CAPS		
										NUM		

FIG. 80a

091515177 0322000

CARS - CrossMar Automated Reconciliation Services										<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
File Edit View Administration Setup Query Reports Window Help												
?												
Aging Report <input checked="" type="checkbox"/>												
Fund Manager INSTITUTIONALADV ▾ Service Type POS ▾												
Custodian & Clients Details Report												
Aging Period Details												
Start From Days 1												
Intervals of 5 Days												
Number of ranges 20												
Calculate Ranges												
Record Types												
<input type="radio"/> Matched												
<input checked="" type="radio"/> Unmatched												
Match Group Level No. <input type="text"/>												
1 - 5 Days <input type="text"/>												
6 - 10 Days <input type="text"/>												
11 - 15 Days <input type="text"/>												
16 - 20 Days <input type="text"/>												
21 - 25 Days <input type="text"/>												
26 - 30 Days <input type="text"/>												
31 - 35 Days <input type="text"/>												
36 - 40 Days <input type="text"/>												
Record Source												
<input type="radio"/> FundManager												
<input type="radio"/> Custodian												
<input checked="" type="radio"/> Both												
Report Action												
<input checked="" type="radio"/> View												
<input type="radio"/> Print												
<input type="radio"/> Save to file												
Alan Schneider												
NSTTUTIONALAD												
03/21/2000												
3:26PM												
CAPS												
NUM												

FIG. 80b

09535877 032800

Position Aging Report

◀

▶

1 of 1+

▶

◀

□

□

50%

▼

Total: 33

100%

33 of 33

□

X

From 12-Dec-1999 To 20-Mar-2000

Position Aging Report

Bank record(s) are in grey background

Account Components	Bk Account	Value Date	Primary Security ID	Quantity	Maturity Date	Market Value Local Currency
--------------------	------------	------------	---------------------	----------	---------------	-----------------------------

ClientID : 111AK

Custodian ID : CITIBANK

Number of Days in Range 51 - 55 Days

ClientID 222AK

ClientID 333AK

27-Mar-2000 3:27:23PM

User Alan Schneider

Page 1 of 2

FIG. 81

09335877 0332800

CARS - CrossMar Automated Reconciliation Services

File Edit View Administration Setup Query Reports Window Help

?

Custodian Cash Report

X

From 01/21/1999 ▼ To 03/21/2000 ▼

Report

Client ID

111AK-111AK
222AK-222AK
333AK-333AK
444AK-444AK
555AK-555AK

Clear

✓ Select All

Close

Report Action

☒ View

☐ Print

☐ Save In File

Report Type

☐ Summary

☒ Detail

938

940

942

Report Action

Report Type

Client ID

From

To

Report

Clear

Close

Help

938

940

942

Report Action

Report Type

Client ID

From

To

Report

Clear

Close

Help

Alan Schneider

NSTITUTIONALAD

03/21/2000

3:28PM

CAPS

NUM

FIG. 82

09635877 032800

147567406

EXPRESS MAIL NO. _____

Custodian Cash Report										-	□	X	
⏏	⏏	1 of 1+		⏏	⏏	□	□	50%	⏏	Total: 15 100% 15 of 15			
Custodian Cash Report - Detail Statement													
Period Settlement Date				21-Jan-2000				Client ID				444AK-444AK	
Client		Custodian		Safekeeping Account		Primary Account							
Company		Settlement Date											
444AK													
CITIBANK		4440		4440									
USD		01-Jan-2000		Opening Balance		15,311,346.52		15,311,346.52					
Closing Balance													
				12,923,947.89		12,923,947.89							
27-Mar-2000 3:27:23PM				User : Alan Schneider		Page 1 of 2							

FIG. 83

090315877 032800

147567406

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled SYSTEM AND METHOD FOR VALIDATING AND MEASURING EFFECTIVENESS OF INFORMATION SECURITY PROGRAMS; the specification of which

☒ is attached hereto.

☐ was filed on _____ as

☐ Application Serial No. _____

• and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent of inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)	Priority Claimed
------------------------------	------------------

_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ Yes	_____ No
-------------------	--------------------	---------------------------------	--------------	-------------

_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ Yes	_____ No
-------------------	--------------------	---------------------------------	--------------	-------------

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

_____ 60/125,298 (Application Serial No.)	_____ March 19, 1999 (Filing Date)	_____ Pending (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

English Language Declaration

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

George T. Marcou, Registration No. 33,014; Richard Peterson, Registration No. 35,320; Charles W. Calkins, Registration No. 31,814; John M. Harrington, Registration No. 25,592; A. Jose Cortina, Registration No. 29,733; Russell Todd Morgan, Registration No. 43,815; James J. Bindseil, Reg. No. 42,326; Benjamin Driscoll, Registration No. 41,571; Yoncha L. Kundupoglu, Registration No. 41,130; R. Whitney Winston, Registration No. 44,432; John Ball, Registration No. 44,433; Dawn-Marie Bey, Registration No. 44,442; and Tiep Nguyen, Registration No. 44,465.

Send Correspondence to:

Direct telephone calls to:

George T. Marcou
Kilpatrick Stockton LLP
Suite 800
700 - 13th Street, N.W.
Washington, D.C. 20005

George T. Marcou
(202) 508-5800

Full name of first inventor: Terence BOYLE

First Inventor's Signature

Date

Residence Address: 21 Sir Paul Ct., Middletown, NJ 07743

Citizenship: U.S. Citizen

Post Office Address: 21 Sir Paul Ct., Middletown, NJ 07743

Full name of second inventor: Alan SCHNEIDER

Second Inventor's Signature

Date

Residence Address: 111 Maplewood Avenue, Maplewood, NJ 07040

Citizenship: U.S. Citizen

Post Office Address: 111 Maplewood Avenue, Maplewood, NJ 07040

Full name of third inventor: Nolan GESHER	
Third Inventor's Signature	Date
Residence Address: 30 Stony Hill Drive, Morganville, NJ 07751	
Citizenship: U.S. Citizen	
Post Office Address: 30 Stony Hill Drive, Morganville, NJ 07751	
Full name of fourth inventor: Jon CASSELS	
Fourth Inventor's Signature	Date
Residence Address: 63 Queen Victoria Street, London, EC4N-4UD, England	
Citizenship:	
Post Office Address: Orbian Live Sinance, 63 Queen Victoria Street, London, EC4N-4UD, United Kingdom	

C0464-184988

WINLIB01:812382.01

0953567-032800